

Valances

"Ask about our Custom Finishing Program."

- Upper Cabinet and Toe Kick Valances are available to complement your cabinet design, Toe Kick Valance options on a following page.
- Upper Cabinet Valances will have a **D15** as the standard edge on the bottom.
- Toe Kick Valances have a **D15** as the standard edge on the shape only.
- Valances are priced by the square foot and have a 1 square foot minimum per item for pricing only.
- Maximum width is 96".
- The \bigstar indicates Valance options that are available for RTF. *If ordering RTF, please specify the laminate color for the melamine back* (*white or almond*). (All Valance designs can be ordered in raw MDF.)

Upper Cabinet Valance Options





Valance Minimum Sizes				
Style	Width	Height		
157	5"	2"		
169	97/32"	25/8"		
175	10 ²³ / ₃₂ "	33/4"		
197	1113/32"	17/8"		
199	5"	2"		
883	267/16"	10"		
984	267/16"	10"		
1226	7"	3½"		
1712	7"	317/32"		
1713	10"	2 ²⁷ / ₃₂ "		
1724	9"	41/4"		
1725	8"	31/4"		
1726	81/2"	41/4"		
1740	41/4"	13/4"		
1769	171/8"	10"		
1789	16"	51/4"		
1790	1415/16"	33/16"		
2058	18½" 7"			
2059	237/16"	43/4"		
2064	21"	43/4"		
2065	10"	43/4"		



Upper Cabinet Valance Options . . . continued

Drawn at 45" wide x 6" high



Style 158 Price Class: V300 (Shown with a D7 Outside Edge)



Style 170 Price Class: V100



Style 211 Price Class: V300 (Shown with a D7 Outside Edge)



Style 212 Price Class: V300 (Shown with a D7 Outside Edge)

20	Δ	Δ	Δ	\mathcal{A}	\mathcal{A}	\sim
					4 2	

Style 213 Price Class: V300 (Shown with a D7 Outside Edge)



Style 917 Price Class: V300 (Shown with a D7 Outside Edge)



Style 1387 Price Class: V300 (Shown with a D7 Outside Edge)

Valance Minimum Sizes				
Style	Width	Height		
158	131/4"	5"		
170	3"	2"		
211	811/32"	5"		
212	73/8"	5"		
213	61/4"	5"		
917	117/8"	5"		
1387	53/4"	5"		

Custom Valance Routing Options

You may customize a standard valance with any of these routings, contact our Non-Catalog Team for information and pricing.




 $\mathbf{VR}100\mathbf{L}$ Approx. 41/2"W x 41/2"H





Approx. 73/4"W x 41/2"H Min. Valance Ht.: 101/4"





VR200

VR800

Approx. 87/8"W x 23/4"H Min. Valance Ht.: 5"



Approx. 101/4"W x 23/4"H Min. Valance Ht.: 5"



Left pattern

Approx. 31/8"W x 41/2"H Min. Valance Ht.: 101/4"



Approx. 55/16"W x 23/4"H Min. Valance Ht.: 5"

VR1000

Min. Valance Ht.: 5"



Approx. 41/2"w x 23/4"H Min. Valance Ht.: 5"



Approx. 31/4"W x 31/4"H Min. Valance Ht.: 51/2"





Accent Profiles


- Available on Solid Wood and Raw MDF.
- Available in 3/4" and 1" thicknesses.
- Applied to one straight line edge only.

• Mitered and Dado Groove options are available on Face Frame Stock with an Accent Profile, if the Accent Profile is on the opposite edge of the Accent Profile.

These are the standard Accent Profiles that WalzCraft offers for Valances and Face Frame Stock.









Accent Profile on Valances: Add Charge per Square Foot.

Accent Profile on Face Frame Stock: Add Charge per Lineal Inch.

1" Thick Products: Add 30% to the 3/4" Square Foot Price from our Specification Catalog.







Valances

"WalzCraft is a Premier Leader in the Industry for Manufacturing Custom Products!"

	Valance Notes				
1)	Outside Edge Profiles	D15 is considered the "Standard" Outside Edge for most valances, and D7 is also available on all valances. When using either of these profiles, there is no additional charge for the Outside Edge Profile. For additional Outside Edge options, please refer to our Specification Catalog.			
2)	Applied Molding Outside Edge Profiles	Applied molding outside edges are <u>only available</u> on the Style #170 valance and will carry an upcharge per square foot upcharge. A 5/8" thickness may be required for some of the applied edge options, in this case <u>additional design charges may apply</u> .			
3)	Style 157, 199 & 1712	Customer specifies the width, height, narrowest point of the valance (I'' minimum) and flat portion at the left and right sides. #1712 height must be greater than or equal to the narrowest plus $2\frac{1}{2}$ ", to maintain the "Look" of the valance design.			
4)	Style 158, 211, 212, 213, 883, 917, 1226 & 1387	Adding an outside edge profile, other than D7 to these valance designs may require a change in the pattern placement. These will be processed by our Non-Catalog Team and additional charges may apply. The same procedure applies to the Style #170 valance with a VR rout pattern.			
5)	Style 1226	The minimum width at the "narrowest" point and for the bottom is 2½". Please specify the dimension needed if you desire another size. A 1" flat dimension must be maintained for the routed opening on each side.			
6)	Style 175, 1724, 1726, 1789 & 1790	Customer specifies the width, height and flat portion at the left and right sides.			
7)	Style 1713	Customer specifies the width, height and narrowest point of the valance. Height must be greater than or equal to the narrowest plus 3¾", to maintain the "Look" of the valance design.			
8)	Style 984, 1724, 1740, 1790, 2058 & 2064	Only available with the following outside edge profiles: D7, D12, D15, D17, D18, D21, D24, D32, D41, D52, D67, D93, D101, D102, D115, D118 and D120. D7 and D15 are available with no upcharge. The other outside edge options will carry an additional upcharge per square foot.			