


# Profile Options

# MP900 Series - "Mitered" Mortise & Tenon Joinery


1" [25.4mm] Thick "Old World" Mitered Door and Frame Construction with Matching Mullion Stock

- These Mitered Profiles are fully molded with NO width flexibility, other than what is shown.
- **SW** = Available in solid wood.

Center stile & center rail profiles look like this...



Center stile & center rail profiles look like this...










► For PRICING ► See Section E.11 in our current Wholesale Pricing Catalog.







1" [25.4mm] Thick "Old World" Mitered Door and Frame Construction with Matching Mullion Stock

- These Mitered Profiles are fully molded with NO width flexibility, other than what is shown.
- **[SW]** = Available in solid wood.

Center stile & center rail profiles look like this...



Center stile & center rail profiles look like this...



Matching Mullion Stock is not available for this family.

► For PRICING ► See Section E.11 in our current Wholesale Pricing Catalog.

## Ordering & Pricing Notes: MP900 Series Miter Door & Drawer Front Profiles

### Ordering Guidelines

1	Order Forms	Applicable order forms will include spaces to indicate your chosen profiles.
<b>Pricing</b>		
1	Pricing	Please see <i>Section E.11</i> of our current <b>Wholesale Pricing Catalog</b> .

## Technical Notes: MP900 Series Miter Door & Drawer Front Profiles

### Cabinet Door & Drawer Front Options (Chapter B)

1	Mitered Frame or Mullion Doors	All of the mitered profiles shown in this catalog are also available with the <b>GRF</b> profile. When ordering, please indicate whether the door is a frame or mullion. If a mullion, please indicate the number of lites. <i>Not all mitered profiles are available with mullions.</i>
---	--------------------------------	---

### Design Options (Chapter G)

1	"Mitered" Stile and Rail Stock (Part #SRP100)	"Mitered" Stile & Rail stock is produced and priced the same as "Traditional" Stile & Rail stock with an <b>outside edge</b> . Available in 8' [2438.4mm], Random Length and Cut to Length sizes. See <i>Section G.15</i> for additional information and pricing guidelines. <ul style="list-style-type: none"> <li>To order please use <i>E-Z Order Form #9 - Face Frame</i> and Part #SRP100.</li> </ul>
---	---	---

### Functional Options (Chapter F)

1	1½" [38.1mm] Wide Miter Profiles	Hinge boring is <i>not available</i> for any of the 1½" [38.1mm] wide miter profiles.
2	Hinge Boring	Not all hinges are compatible with 1" or greater door thicknesses. Please consult the specifications for your chosen hinges before selecting hinge boring options.

### Material Options

1	Material Options	 = Profile is available on products made from solid wood.
---	------------------	---

### Miscellaneous

1	Center Stile and Rail Construction	All center stiles & rails will be haunched into the outside stiles & rails creating a mitered joint where they are conjoined.
---	------------------------------------	---

### Sizes / Dimensions

1	Profile Drawings	All Stile & Rail and Mullion Stock drawings are to scale.
2	Thickness	Old World stile & rail profiles are available in 1" [25.4mm], 1⅝" [28.6mm] and 1¼" [31.8mm] thicknesses.
3	Minimum Sizes	All mitered door and drawer front minimum sizes are calculated based on 2¼" [57.2mm] wide profiles. <ul style="list-style-type: none"> <li>If using a 3" [76.2mm] wide profile, please add 1½" [38.1mm] to the published minimum door size.</li> <li>If using a 1½" [38.1mm] wide profile, deduct 1½" [38.1mm] from the published minimum size.</li> </ul>

► For PRICING ► See Section *E.11* in our current Wholesale Pricing Catalog.