

Molding



2248 Crown Molding Cherry Wood - Java V2 Combination Stain





1346 Crown Molding Maple Wood - Eggshell SolidTone®

Molding - Table of Contents			
Section Name	Page #		
N1 • Crown Molding	N1-3		
N2 • Refacing Molding	N2-1		
Refacing Molding	N2-1		
Solid Wood Refacing Stock	N2-3		
N3 • Corner & Scribe Molding	N3-1		
Outside Corner Molding	N3-1		
Cove Molding	N3-1		
Base Shoe & Quarter Round Molding	N3-1		
Scribe Molding	N3-2		
• 45° & 90° Transition Molding	N3-2		
90° Corner Door Molding	N3-3		
Inside Corner Molding	N3-3		
N4 • Base & Casing Molding	N4-1		
N5 • Applied Molding	N5-1		
Applied Molding – Outside Edge	N5-1		
• Applied Molding – Inside Edge, Shelf & Face	N5-2		
Old World Applied Molding – Inside Edge	N5-4		
N6 • Mullion Stock Molding	N6-1		
N7 • Column Molding	N7-1		
Half & Quarter Round Column Molding – Smooth	N7-1		
Half Round Column Molding – Reed	N7-1		
Half & Quarter Round Column Molding – Fluted	N7-2		
Beaded Column Molding – ¼"	N7-3		
• Beaded Column Molding – ¾"	N7-4		
Elliptical Column Molding	N7-5		
Pyramid Column Molding	N7-5		
Reed Column Molding	N7-6		
Miscellaneous Column Molding	N7-6		
Round Column Wrap Molding - Smooth	N7-7		
Round Column Wrap Molding - Fluted	N7-10		
N8 • Wainscot Molding	N8-1		
Wainscot Cap Molding	N8-1		
Wainscot Inside Edge Applied Molding	N8-2		
Wainscot Backband Molding	N8-2		
N9 • Miscellaneous Molding	N9-1		
Color Block Molding	N9-1		
Door Jamb Stop Molding	N9-1		
Window Sill Molding	N9-1		
• Astragal Molding	N9-1		
Louvered Slat Molding – Fixed	N9-2		
Louvered Slat Molding – Operable	N9-2		
Operable Louver Actuator Molding	N9-2		
Half Lap Molding	N9-2		
Panel Splice Molding	N9-2		

Molding

Molding



2179 Canopy Molding Cherry Wood - Fruitwood Wiping Stain (# 942 Crown Molding Match Also Available)





Chapter – N


Molding - Table of Contentscontinued			
Section Name	Page #		
N9 • Miscellaneous Moldingcontinued	N9-1		
Dowel Molding	N9-2		
• Square Peg Molding	N9-2		
• Beaded Molding	N9-3		
Inset Bead Molding	N9-3		
Miscellaneous Molding	N9-3		
• Finger Pull Molding – ¾" Thick Door	N9-4		
• Finger Pull Molding – 5%" Thick Door	N9-4		
• Edgeband Molding	N9-4		
Countertop Edge Molding	N9-4		
Shelf Bull Nose Molding	N9-4		
Wood Retainer Molding	N9-5		
GRF Extension Molding	N9-6		
Chair Rail Molding	N9-6		
Retail Price Tag Molding	N9-6		
Drawer Guide Spacer Molding	N9-6		
• Step Molding	N9-6		
• Under & Over Cabinet Molding	N9-7		
Plate Rail Molding	N9-9		
Spice Rack Molding	N9-10		
Tiered Spice Drawer Molding	N9-10		
• Drawer Box Divider Molding	N9-10		
Pencil Tray Molding	N9-10		
• Bar Rail / Cap Molding	N9-11		
Mantel Molding	N9-12		
• Frieze Molding	N9-12		
Plate Display Molding	N9-12		
Wine Rack Molding	N9-12		
Stemware Molding	N9-12		
N10 • Canopy Styles/Molding	N10-1		
Canopy Styles	N10-1		
Canopy Molding	N10-3		
N11 • Precision Molded Wood Flooring	N11-1		
• ¾" Wood Flooring	N11-1		
 ³/₄" Wood Flooring Transition Molding 	N11-1		
• ¾" Wood Flooring	N11-2		
• ¾" Wood Flooring Transition Molding	N11-2		
N12 • Molding Notes	N12-1		
N13 • Outsourced Molding - Bead, Egg & Dart and Rope	N13-1		
• Bead and Egg & Dart Molding	N13-1		
Rope Molding	N13-2		

N










(C)

con

(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667

Ν


N1-5





.com


Moldings


Crown Molding














(C)


con

N1-11









N

Notes Page		Moldings
1-800-237-1326	WalzCraft®	www.WalzCraft.com


MalzCraft[®] ©

Ν


99.7% American Made

Moldings

Refacing Molding





Ν




* We can control the finished thickness of the Refacing Moldings and Solid Wood Refacing Stock as they are produced in house. These moldings are not intended to be used with sheet stock (on face of cabient), as plywood thicknesses are beyond our ability to control.

N2-1









	Solid Wood Refacing Stock Notes				
1)	Pricing	Please see Section N2 of the Wholesale Pricing Catalog.			
2)	RFS100	Refacing Stock uses part #RFS100.			
3)	Thickness	Available in $\frac{1}{8}$ ", $\frac{3}{16}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ " and $\frac{3}{8}$ " thicknesses.			
4)	Width	Minimum width dimension is $\frac{5}{8}$ " and can be ordered in $\frac{1}{16}$ " increments or dimensions rounded to the nearest whole millimeter.			
		Maximum width is 6". WalzCraft makes every attempt to produce these parts from one solid piece of wood. A GUPFS may be required for sizes <u>wider</u> than 6", see <i>Section M16</i> . At times, due to lumber availability, a GUPFS may also be required for widths <u>under</u> 6".			
5)	Length	The maximum length for 8' or Cut-to-Length refacing stock is 96".			
(3)		Random Length pieces will vary between 36" and 96".			
6)	Minimum Order Quantity	No minimum order quantity.			
7)	Finishing	Finished on one (1) face and all edges. The back is left unfinished for proper glue adhesion. Please see our Finishing section for information on Glazing.			
8)	Knotty & Rustic Grades	Knotty and Rustic grade materials will only have small knots, if any.			
9)	3D Laminate (RTF)	F) 3D Laminate (RTF) Refacing Stock is made of a solid wood core (Maple - Paint Grade) and is not subject to the same thickness limitations as MDF. Maximum length of 96".			
	► For PRICING ► See Section N2 in our Wholesale Pricing Catalog.				


(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667

N2-3

MalzCraft ® ©








► For PRICING ► See Section N3 in our Wholesale Pricing Catalog.



99.7% American Made



(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667


Ν

N4-1

 WalzCraft <mark>®</mark>

(C)

.con




► For PRICING ► See Section N4 in our Wholesale Pricing Catalog.



10®

99.7% American Made

N



► For PRICING ► See Section N4 in our Wholesale Pricing Catalog.


 $\mathbb{B}^{\mathbb{B}}$ Walz Craft \mathcal{C}_{com} \mathbb{O} (Phone)

(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667

Ν

N4-3


V15.1




99.7% American Made

Ν

N4-4 V15.1



 $\mathcal{O}_{alz}C_{raft}^{\otimes}$ (Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667



For PRICING See Section N5 in our Wholesale Pricing Catalog.


99.7% American Made

R

.com

(C)

R




(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667


N

N5-3

R

(C





► For PRICING ► See Section N5 in our Wholesale Pricing Catalog.

99.7% American Made


WalzOraft [®]

 \bigcirc

.com

R

N5-4 V15.2



(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667

N6-1


raft

.con

(C

(0,


 $|\alpha|$



.com

Ν

. V15.2



► For PRICING ► See Section N6 in our Wholesale Pricing Catalog.

IID ®

Walz

Craft[®].com


(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667


Notes Page		Moldings
1-800-237-1326	WalzCraft®	www.WalzCraft.com


MalzCraft[®] ©

Ν

99.7% American Made







► For PRICING ► See Section N7 in our Wholesale Pricing Catalog.

(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667


Ν

R

Oraft[®]...

.com

(C)




► For PRICING ► See Section N7 in our Wholesale Pricing Catalog.

99.7% American Made

WalzCraft ® ©


®



Ν

 $a_z Craft _{com}^{\otimes}$ (Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667


N7-5



n®



N7-6



► For PRICING ► See Section N7 in our Wholesale Pricing Catalog.


(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667

N

N7-7

 \mathcal{O}


(C)



► For PRICING ► See Section N7 in our Wholesale Pricing Catalog.

®





► For PRICING ► See Section N7 in our Wholesale Pricing Catalog.


(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667

R

Malz


Craft[®].com

(C)



► For PRICING ► See Section N7 in our Wholesale Pricing Catalog.






For PRICING *See Section N8* in our Wholesale Pricing Catalog.

(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667

(C)

Ν


N8-1





99.7% American Made


(C)

.com










R

(C

For PRICING See Section N9 in our Wholesale Pricing Catalog.

(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667

N9-3



99.7% American Made


aft®

.com

(C)


N9-4

V15.2



	Wood Retainer Molding Notes				
1)	Pricing	Please see Section N9 of the Wholesale Pricing Catalog.			
2)	2) #1317 and #1329 Moldings Fit into the GRF cut of the stile and rail profile and are designed to be used with ¹ / ₈ " materials.				
3)	#1036 and #1120 Designed for use as a wood retainer molding that is fastened to the rear of the $\frac{3}{4}$ " frame and can be trimme size, to accommodate materials thicker than $\frac{1}{8}$ ". The #1120 molding would be used for 1" thick frames.				
	#1312 Molding	The illustration above shows an example of how this molding fits into the tenon of the stile and rail profile.			
4)		Designed to fill the tenon PPGC (Panel Plow Groove Cut) of any stile and rail profile, for your custom frame requirements.			
		For use with $\frac{3}{4}$ or 1" thick doors.			
	#1246 Molding	The illustration above shows an example of how this molding fits into the GRF groove of the stile and rail profile.			
5)		Designed to fill the void for the GRF groove in the stiles and rails of frame and mullion doors.			
		For use with $\frac{3}{4}$ " or 1" thick doors.			
6)	#889 Molding	Designed for use with ¹ / ₄ " glass. Not available as a precision cut molding.			
N9-5 $MalzCraft^{(B)}$ (Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667					

N




► For PRICING ► See Section N9 in our Wholesale Pricing Catalog.

R

.com

(C)








(C

(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667

N9-7









99.7% American Made

N9-10




N9-11




99.7% American Made

Craft[®] C

N9-12






* Not Drawn to scale.


► For PRICING ► See Section N9 in our Wholesale Pricing Catalog.

* Not Drawn to scale.

N9-13 $Malz Craft _{.com}^{(B)}$ (Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667



#1049 Bar Rail Molding - Options




	#1049 Bar Rail Molding Notes			
1)	Pricing	Please see Section N9 of the Wholesale Pricing Catalog.		
2)	Wood Species	All standard solid wood species are available.		
3)	Finishing	ng Only available unfinished.		
4)	MDF / 3D Laminate	3D Laminate Not available in Raw MDF or 3D Laminate.		
5)	Sizes	All part sizes are fixed.		
6)	Ordering	When ordering please use <i>Order Form #5 - Moldings & Miscellaneous</i> . Enter quantity, molding / part number and description.		
7)	Assembly	Only available unassembled.		
8)	End Cap - BR005End caps are an option that can be used to cap the finished end of a run of #1049 molding. BR005 can be used as a left or right end. Only available shipped loose.			
9)	Bolt Lock Route JAM8	Used to connect two pieces of #1049 molding. Bolt Lock Routes are an option that can be added to the end of straight 8' lengths of #1049 and to the Radius Transition Moldings. Bolts included.		

► For PRICING ► See Section N9 in our Wholesale Pricing Catalog.


99.7% American Made


(C)

N9-14




N10-1






N10-3




Moldings			Canopy Styles/Molding
	Canopy Styles/Molding Notes		
1)	Pricing	Please see Secti	on N10 of the Wholesale Pricing Catalog.
	Canopy Styles: Molding Profile Options	15 5	re only avaialble with the following Canopy Molding Profiles: 2175 , 2179 , 2182 , 2 , 2309 or 2310 .
2)		15	oldings and their matching crown moldings are also available in straight 8' roughout your project. Both 8' straight stock molding profiles are shown.
3)	Standard Dimensions	The straight por	tion on each end of these Canopy Styles is 12" with an overall width of 48".
4)	Ordering	CAN600, CA	nopy Style Number: CAN100, CAN200, CAN300, CAN400, CAN500, AN700, CAN800 or CAN900. nopy Molding Profile: 2175, 2179, 2182, 2184, 2262, 2292, 2309 or 2310.

Canopy Moldings with Matching Crown Molding		
Canopy Molding Number	Matching Crown Molding Number	
2175	1860	
2179	942	
2182	983	
2184	383	
2262	2253	
2292	1160	
2309	119	
2310	1358	

► For PRICING ► See Section N10 in our Wholesale Pricing Catalog.





Precision Molded Wood Flooring

Moldings

Precision	Precision Molded Wood Flooring Price Classes, # of Sq Ft per Lineal Foot			
Molding #	Price Class	Sq Ft / Lineal Foot	Lineal Feet / One Square Foot	
PMWF100U	M101	0.121	9.60	
PMWF200 U	M101	0.205	5.34	
PMWF300U	M101	0.268	4.00	
PMWF400U	M101	0.350	3.00	
PMWF500U	M101	0.434	2.40	
PMWF150U	M102	0.121	9.60	
PMWF250 U	M102	0.205	5.34	
PMWF350U	M102	0.268	4.00	
PMWF450U	M102	0.350	3.00	
PMWF550U	M102	0.434	2.40	

	Wood Flooring Notes			
1)	Pricing	Please see Section N11 of the Wholesale Pricing Catalog.		
2)	Finishing	Available <u>Unfinished only</u> . (WalzCraft's cabinet grade finish is not engineered for wood floor- ing.)		
3)	Sanding	Precision Molded Wood Flooring requires minimal sanding after installation.		
	Material	Moldings are drawn to actual size and are sold in random lengths, varying between 36" and 96".		
4)		Moldings will also be end milled.		
		Sanded to 180 grit.		
5)	Ordering	Total square footage must be supplied. (Note, your total square footage should accommodate a waste factor.)		
6	Transition Moldings	Sold in 8' lengths, with 93" guaranteed to be usable.		
6)		Moldings over 6" in width may be produced from a glued up panel, due to lumber availability.		

► For PRICING ► See Section N11 in our Wholesale Pricing Catalog. MalzCraft[®] ©

99.7% American Made

®

Molding Notes

Molding "Shorts Program"

When working with solid wood occasionally defects are exposed through the manufacturing process that will not allow us to sell the molding as a clear 8' Select/Premium or Natural/Standard Grade. We are sometimes left with 3' - 7' of usable material. Part of our mission is to use our materials and resources in the most efficient manner, which is why we offer the availability of 3' - 7' moldings through this program. As an incentive, when using this **Molding "Shorts Program"** there will be a discount offered if 3' - 7' moldings are available. Please see *Section N12* of the **Wholesale Pricing Catalog** for more information. *The Molding "Shorts Program" does not apply to Outsourced Moldings*.

	Molding Notes				
1)	Pricing	Please see <i>Section N12</i> of the Wholesale Pricing Catalog.			
2)	Sanding	Moldings are sanded to 180 grit.			
3)	Finishing	Finishing is an option.			
4)	Molding Drawings	Solid wood moldings are drawn to actual size and sold in 8' lengths. 93" is guaranteed to be usable.			
		Usable Length of 8' & longer Moldings (Excludes Random Length)	Size Ordered	Expected Minimum Usable Material	
		WalzCraft offers standard 8' long mold- ings, and upon request and availability,	<u>8'</u> 9'	93"	
		also manufactures longer moldings from	10'	116"	
_		9' to 16' in even foot increments. In all	11'	128"	
5)	Usable Molding Lengths	cases, WalzCraft will ship a molding that	12'	139"	
		is at a minimum 97% usable, rounded down to the nearest inch, per the table to	13'	151"	
		the right. Please consider the lengths list-	14'	162"	
		ed in the column "Expect as Minimum	15'	174"	
		<i>Usable Material</i> " as a guide for which even foot increment molding to purchase.	16'	186"	
6)	Usable "Random Lengths"	Random Length material is 90% usable.			
7)	Molding Widths Over 6"	Due to lumber availability, moldings over 6"	wide may be pr	oduced from glued up panels.	
8)	3' - 8' "Random Length" Molding Program	Minimum quantity of 200 lineal feet. Use Moldings "Shorts Program" if under minimum quantity. Please specify total footage when ordering.			
	3' - 12' "Random Length" Molding Program	Minimum quantity of 200 lineal feet. Use M quantity.	oldings "Shorts	Program" if under minimum	
9)		Random lengths that range from 3' to 12' mus Carrier.	st be either Pick	ed Up or shipped via Common	
		Lengths greater than 8' are subject to availabi and Grade can impact the availability of length			
	8' - 12' Length Moldings	For those occasions when you need a molding those lengths up to 12' long.	g longer than 8'	, we will do our best to produce	
10)		Please bear in mind, that longer length molding wood species and grades.	ngs are not alwa	ays possible to produce in all	
		Please see Usable Molding Lengths, note # 3	5) above.		
	Molding Lengths Longer than 12'	Please contact our Customer Support Team, a and Wait Times / Lead Times.	and ask that they	v research material availability	
11)		Please bear in mind, that longer length molding wood species and grades.	ngs are not alwa	ays possible to produce in all	
		Please see Usable Molding Lengths, note # :	5) above.		

► For PRICING ► See Section N12 in our Wholesale Pricing Catalog.

(Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667

0.

(C)


N12-1


Molding Notes

	Molding Notescontinued			
12)	"Cut to Length" Stemware Moldings	Stemware Moldings #388 & #1774 are available "Cut to Length"		
12)	Stemware Moldings	If WalzCraft is finishing the moldings, the ends will also be finished.		
	3D Laminate (RTF)	\star = Available on products using RTF.		
12)		3D Laminate (RTF) moldings use the same foil colors that are used on the doors, so the color match is exact.		
13)		For quality reasons, 3D Laminate (RTF) moldings have a solid wood core (Paint Grade Maple).		
		Only the face of the molding is covered with 3D Laminate (RTF) foil. The back is unfinished wood.		
14)	Curved Products	The C indicates profiles that are available when ordering Convex/Concave Products.		
15)	5) Column Wraps Column Wraps can be used as transition moldings between cabinets of different depths.			
16)	Column Wrap Radius	The radius for a Column Wrap Molding is measured from the center of the thickness.		
17)	Fastener Relief Cut	FRC = Fastener relief cut. See <i>page N1-3</i> for assembly detail. Hole drilling and wood screw by customer. FRC is not applicable with Convex/Concave or Canopy moldings.		



99.7% American Made





Moldings		Outsourced Molding			
	Outsourced Molding Notes				
1)	Pricing	Please see Section N13 of the Wholesale Pricing Catalog.			
2)	Finishing	Finishing is an option. See <i>Chapter R</i> .			
3)	Applied Moldings	These moldings may also be applied to some Traditional & Mitered stile and rail profiles with a shelf. See <i>Chapter E</i> .			

For PRICING See Section N13 in our Wholesale Pricing Catalog. \mathbb{C}^{\otimes} \mathbb{C}^{\otimes} (Phone) 1-800-237-1326 6:00AM - 4:30PM CST (24 Hour Fax) 1-608-781-3667

