



**G-Series Raised Panel Range Hood**  
Cherry Wood  
Shown with Simple 1 Molding Option



**L-Series Range Hood**  
Maple Wood  
Shown with Classic 1 Molding Option

## Table of Contents


Section #	Section Name/Contents	Page #
P.1	<b>Chimney Style Hoods</b>	<b>P.1.2</b>
	◦ Vchim-Series Range Hoods	P.1.2
P.2	<b>Wall Mount Style Hoods</b>	<b>P.2.1</b>
	◦ G-Series Range Hoods	P.2.1
	◦ T-Series Range Hoods	P.2.3
	◦ J-Series Range Hoods	P.2.5
	◦ P-Series Range Hoods	P.2.9
P.3	<b>Island Style Hoods</b>	<b>P.3.1</b>
	◦ I-Series Range Hoods (Island/Ceiling Mount)	P.3.1
P.4	<b>Curved Style Hoods</b>	<b>P.4.1</b>
	◦ E-Series Range Hoods	P.4.1
	◦ B-Series Range Hoods	P.4.5
	◦ D-Series Range Hood	P.4.7
P.5	<b>Mantel Style Hoods</b>	<b>P.5.1</b>
	◦ M-Series Range Hood	P.5.1
	◦ S-Series Range Hoods	P.5.3
	◦ A-Series Range Hoods	P.5.7
	◦ W-Series Range Hoods	P.5.9
	◦ O-Series Range Hood	P.5.11
	◦ Q-Series Range Hood	P.5.13
P.6	<b>Hearth Style Range Hoods</b>	<b>P.6.1</b>
	◦ N-Series Range Hood	P.6.1
	◦ L-Series Range Hood	P.6.3
	◦ H-Series Range Hoods	P.6.5
P.7	<b>Range Hood Accessories</b>	<b>P.7.1</b>
	◦ Range Hood Molding Options	P.7.1
	◦ Removable Access Panel Options	P.7.1
	◦ Ventilation Units (Liners & Blowers)	P.7.2
	◦ General Information	P.7.4

## Range Hood Options

## Chimney Style Hoods

### Vchim - Series Range Hoods

#### V - Standard Hood




OS

P

Wood Species	V - Hood Part #'s and Sizes			
	V-3042	V-3642	V-4242	V-4842
Alder-Natural	30" X 42"	36" X 42"	42" X 42"	48" X 42"
Cherry-Natural				
Maple-Hard-Natural				
Oak-Red-Natural				
Sq.Ft. for Two-Sided (2S) Finishing	35	39	42	46

#### VRA - Arched Base Hood



OS

Wood Species	VRA - Hood Part #'s and Sizes			
	VRA-3042	VRA-3642	VRA-4242	VRA-4842
Alder-Natural	30" X 42"	36" X 42"	42" X 42"	48" X 42"
Cherry-Natural				
Maple-Hard-Natural				
Maple-Hard-Hybrid/MDF-Paint				
Oak-Red-Natural				
Sq.Ft. for Two-Sided (2S) Finishing	35	39	42	46

OS = Product outsourced from other vendor.

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

P.1.2  
V18.2



WalzCraft.com



(Phone) 1-800-237-1326

6:00AM - 5:30PM CST

(24 Hour Fax) 1-608-781-3667

## Chimney Style Hoods

## Range Hood Options

### Ordering & Pricing Notes: Vchim-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
<b>Pricing</b>		
1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .

### Technical Notes: Vchim-Series Range Hood

#### Range Hood Options (Chapter P)

1	Customization	No customizing of sizes, profiles or moldings is offered with the Vchim Series range hoods. Please see the <b>G or T Series</b> if custom sizes are required.
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Moldings	Base and chimney molding comes standard on the Vchim Series range hoods. See <b>Range Hood Molding Options</b> in <i>Section P.7</i> . Any other molding being used as an accessory with your range hood must be ordered separately using <i>Order Form #5</i> . These <b>are not included</b> in the range hood price. See <i>Chapter N</i> for additional molding options.
4	Accent Components	Must be ordered separately, using <i>Order Form #5</i> , see options in <i>Chapter O and Section P.7 - Range Hood Notes</i> .
5	Raised Panel Base	WalzCraft sources range hoods from an outside vendor. The outside vendor offers one stile & rail profile and one center panel profile for the Vchim series range hood with the raised panel arched base. These profiles are a reasonable match to WalzCraft profiles. • Stile & Rail Profile: <b>SR107</b> (See <i>Section E.1</i> ) • Center Panel Profile: <b>PR300-32</b> (See <i>Section E.12</i> )
6	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes / Dimensions

1	Available Widths	Vchim-Series Range Hoods are available in 30" to 48" [762.0mm to 1219.2mm] widths and must be ordered in 6" [152.4mm] increments.
2	Overall Width	For the overall width of the hood, measuring from tip to tip on the applied decorative molding, <b>add 2¼" [57.2mm] to the width listed in the grids.</b>
3	Chimney	Overall height is 42" [1066.8mm]; the upper chimney can be trimmed by customer.

P


*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

## Range Hood Options

## Wall Mount Style Hoods

### G-Series Range Hoods

#### G - Standard Hood



OS

#### Wood Species

#### G - Hood Part #'s and Sizes

	G-3630	G-4230	G-4830	G-5430	G-6030
Alder - Natural	36" X 30"	42" X 30"	48" X 30"	54" X 30"	60" X 30"
Alder - Rustic					
Beech - European - Steamed - Natural					
Cherry - Natural					
Hickory - Natural					
Maple - Hard - Natural					
MDF/HDF - Paint					
Maple - Hard/Soft Mixed - Value/Budget/Paint					
Oak - Red - Natural					
Oak - Red - Quarter Sawn - Natural					
Oak - White - QS - Natural					
Walnut - Natural					
Sq.Ft. for Two-Sided (2S) Finishing	38	41	45	49	53

#### GRA - Raised Panel Arched Base Hood

#### Wood Species

#### GRA - Hood Part #'s and Sizes

	GRA-3632	GRA-4232	GRA-4832	GRA-5432	GRA-6032
Alder - Natural	36" X 32"	42" X 32"	48" X 32"	54" X 32"	60" X 32"
Alder - Rustic					
Beech - European - Steamed - Natural					
Cherry - Natural					
Hickory - Natural					
Maple - Hard - Natural					
MDF/HDF - Paint					
Maple - Hard/Soft Mixed - Value/Budget/Paint					
Maple - Hard/Soft Mixed - Hybrid/MDF - Paint					
Oak - Red - Natural					
Oak - Red - Quarter Sawn - Natural					
Oak - White - QS - Natural					
Walnut - Natural					
Sq.Ft. for Two-Sided (2S) Finishing	40	44	48	52	56

OS

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

P.2.1

V18.2



WalzCraft.com



(Phone) 1-800-237-1326


6:00AM - 5:30PM CST

(24 Hour Fax) 1-608-781-3667

## Wall Mount Style Hoods

## Range Hood Options

### GRS - Raised Panel Square Hood



OS

#### Wood Species


Alder-Natural  
Alder-Rustic  
Beech-European-Steamed-Natural  
Cherry-Natural  
Hickory-Natural  
Maple-Hard-Natural  
MDF/HDF-Paint  
Maple-Hard/Soft Mixed-Value/Budget/Paint  
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint  
Oak-Red-Natural  
Oak-Red-Quarter Sawn-Natural  
Oak-White-QS-Natural  
Walnut-Natural

Sq.Ft. for Two-Sided (2S) Finishing

#### GRS - Hood Part #'s and Sizes

GRS-3632	GRS-4232	GRS-4832	GRS-5432	GRS-6032
36" X 32"	42" X 32"	48" X 32"	54" X 32"	60" X 32"
40	44	48	52	56

### GRSS - Raised Panel Square Base (Single Panel)



OS

#### Wood Species

Alder-Natural  
Alder-Rustic  
Beech-European-Steamed-Natural  
Cherry-Natural  
Hickory-Natural  
Maple-Hard-Natural  
MDF/HDF-Paint  
Maple-Hard/Soft Mixed-Value/Budget/Paint  
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint  
Oak-Red-Natural  
Oak-Red-Quarter Sawn-Natural  
Oak-White-QS-Natural  
Walnut-Natural

Sq.Ft. for Two-Sided (2S) Finishing

#### GRSS - Hood Part #'s and Sizes

GRSS-3632	GRSS-4232	GRSS-4832	GRSS-5432	GRSS-6032
36" X 32"	42" X 32"	48" X 32"	54" X 32"	60" X 32"
40	44	48	52	56

### Ordering & Pricing Notes: G-Series Range Hood

#### Ordering Guidelines

1 Order Forms Please use *Range Hoods Order Form (E-Z Form #12)*.

#### Pricing

1 Pricing Please see *Section P.1* of our current **Wholesale Pricing Catalog**.

### Technical Notes: G-Series Range Hood

#### Range Hood Options (Chapter P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Removable Access Panel	Available on <b>G, GRA, GRS &amp; GRSS</b> range hoods. See <i>Section P.7 - Range Hood Notes</i> .
4	Removable Top	Removable Tops are an <i>optional feature</i> , available for <b>Series E, G, and T</b> range hoods. See <i>Section P.7</i> .
5	Moldings	Base and chimney molding comes standard on the G-Series range hoods. You must select a molding package. See <b>Range Hood Molding Options</b> in <i>Section P.7</i> . Any other molding being used as an accessory with your range hood must be ordered separately using <b>Order Form #5</b> . These <b>are not included</b> in the range hood price. See <i>Chapter N</i> for additional molding options.
6	Accent Components	Must be ordered separately, using <b>Order Form #5</b> , see options in <i>Chapter O</i> and <i>Section P.7 - Range Hood Notes</i> .
7	Raised Panel Bases	When ordering <b>GRA, GRS</b> or <b>GRSS</b> , you must select a Stile & Rail profile and a Center Panel profile. See options in <i>Section P.7 - Range Hood Notes</i> .
8	Hood and Ventilation Install	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes/Dimensions

1	Available Widths	Available in standard widths to fit a cook top up to 60" [1524.0mm] wide.
2	Overall Width	For the overall width of the hood, measuring from tip to tip on the applied decorative molding, <b>add 2 1/4" [57.2mm] to the width listed in the grids</b> .
3	Chimney	The standard hood accommodates a 9' [2743.2mm] ceiling. Chimney can be trimmed, extended or customized.


OS = Product outsourced from other vendor.

## Range Hood Options

## Wall Mount Style Hoods

### T-Series Range Hoods

#### T - Standard Hood




OS

#### Wood Species

#### T - Hood Part #'s and Sizes

	T-3642	T-4242	T-4842	T-5442	T-6042
Alder-Natural	36" X 42"	42" X 42"	48" X 42"	54" X 42"	60" X 42"
Alder-Rustic					
Beech-European-Steamed-Natural					
Cherry-Natural					
Hickory-Natural					
Maple-Hard-Natural					
MDF/HDF-Paint					
Maple-Hard/Soft Mixed-Value/Budget/Paint					
Oak-Red-Natural					
Oak-Red-Quarter Sawn-Natural					
Oak-White-QS-Natural					
Walnut-Natural					
Sq.Ft. for Two-Sided (2S) Finishing	44	48	53	57	61

#### TRA - Raised Panel Arched Base Hood



#### Wood Species

#### TRA - Hood Part #'s and Sizes

	TRA-3642	TRA-4242	TRA-4842	TRA-5442	TRA-6042
Alder-Natural	36" X 42"	42" X 42"	48" X 42"	54" X 42"	60" X 42"
Alder-Rustic					
Beech-European-Steamed-Natural					
Cherry-Natural					
Hickory-Natural					
Maple-Hard-Natural					
MDF/HDF-Paint					
Maple-Hard/Soft Mixed-Value/Budget/Paint					
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint					
Oak-Red-Natural					
Oak-Red-Quarter Sawn-Natural					
Oak-White-QS-Natural					
Walnut-Natural					
Sq.Ft. for Two-Sided (2S) Finishing	44	48	53	57	61

OS

OS = Product outsourced from other vendor.

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

P.2.3

V18.2



WalzCraft.com




(Phone) 1-800-237-1326


6:00AM - 5:30PM CST

(24 Hour Fax) 1-608-781-3667

## Wall Mount Style Hoods

## Range Hood Options

TRS - Raised Panel Square Base Hood	Wood Species	TRS - Hood Part #'s and Sizes				
		TRS-3642	TRS-4242	TRS-4842	TRS-5442	TRS-6042
	Alder-Natural	36" X 42"	42" X 42"	48" X 42"	54" X 42"	60" X 42"
	Alder-Rustic					
	Beech-European-Steamed-Natural					
	Cherry-Natural					
	Hickory-Natural					
	Maple-Hard-Natural					
	MDF/HDF-Paint					
	Maple-Hard/Soft Mixed-Value/Budget/Paint					
	Maple-Hard/Soft Mixed-Hybrid/MDF-Paint					
	Oak-Red-Natural					
	Oak-Red-Quarter Sawn-Natural					
	Oak-White-QS-Natural					
	Walnut-Natural					
Sq.Ft. for Two-Sided (2S) Finishing		44	48	53	57	61

TRSS - Raised Panel Square Base (Single Panel)	Wood Species	TRSS - Hood Part #'s and Sizes				
		TRSS-3642	TRSS-4242	TRSS-4842	TRSS-5442	TRSS-6042
	Alder-Natural	36" X 42"	42" X 42"	48" X 42"	54" X 42"	60" X 42"
	Alder-Rustic					
	Beech-European-Steamed-Natural					
	Cherry-Natural					
	Hickory-Natural					
	Maple-Hard-Natural					
	MDF/HDF-Paint					
	Maple-Hard/Soft Mixed-Value/Budget/Paint					
	Maple-Hard/Soft Mixed-Hybrid/MDF-Paint					
	Oak-Red-Natural					
	Oak-Red-Quarter Sawn-Natural					
	Oak-White-QS-Natural					
	Walnut-Natural					
Sq.Ft. for Two-Sided (2S) Finishing		44	48	53	57	61

### Ordering & Pricing Notes: T-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <b>Range Hoods Order Form (E•Z Form #12)</b> .
<b>Pricing</b>		
1	Pricing	Please see <b>Section P.1</b> of our current <b>Wholesale Pricing Catalog</b> .

### Technical Notes: T-Series Range Hood

#### Range Hood Options (Chapter P)

1	Customization	See <b>Section P.7 - Range Hood Notes</b> .
2	Hood Liners	See <b>Section P.7 - Ventilation Units (Liners &amp; Blowers)</b> .
3	Removable Access Panel	Available on <b>T, TRA, TRS &amp; TRSS</b> range hoods. See <b>Section P.7 - Range Hood Notes</b> .
4	Removable Top	Removable Tops are an <b>optional feature</b> , available for <b>Series E, G, and T</b> range hoods. See <b>Section P.7</b> .
5	Moldings	Base and chimney molding comes standard on the T-Series range hoods. You must select a molding package. See <b>Range Hood Molding Options in Section P.7</b> .
		Any other molding being used as an accessory with your range hood must be ordered separately using <b>Order Form #5</b> . These <b>are not included</b> in the range hood price. See <b>Chapter N</b> for additional molding options.
6	Accent Components	Must be ordered separately, using <b>Order Form #5</b> , see options in <b>Chapter O and Section P.7 - Range Hood Notes</b> .
7	Raised Panel Bases	When ordering <b>TRA, TRS</b> or <b>TRSS</b> , you must select a Stile & Rail profile and a Center Panel profile. See options in <b>Section P.7 - Range Hood Notes</b> .
8	Hood and Vent Installation	Please see <b>Section P.7 - Range Hood Notes</b> regarding installation liability and local building code guidelines.

#### Sizes / Dimensions

1	Available Widths	Available in standard widths to fit a cook top up to 60" [1524.0mm] wide.
2	Overall Width	For the overall width of the hood, measuring from tip to tip on the applied decorative molding, <b>add 2 1/4" [57.2mm] to the width listed in the grids</b> .
3	Chimney	The standard hood accommodates a 9' [2743.2mm] ceiling. Chimney can be trimmed, extended or customized.

**OS** = Product outsourced from other vendor.


**The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.**

## Range Hood Options

## Wall Mount Style Hoods

### J-Series Range Hoods

#### J - Standard Hood



OS

#### Wood Species

#### J - Hood Part #'s and Sizes

	J-3330	J-3930	J-4530	J-5130	J-5730	J-6330	J-3336	J-3936	J-4536
Alder-Natural	33" X 30"	39" X 30"	45" X 30"	51" X 30"	57" X 30"	63" X 30"	33" X 36"	39" X 36"	45" X 36"
Alder-Rustic									
Beech-European-Steamed-Natural									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
MDF/HDF-Paint									
Maple-Hard/Soft Mixed-Value/Budget/Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-QS-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	36	39	43	47	51	54	38	43	47

#### Wood Species

#### J - Hood Part #'s and Sizes

	J-5136	J-5736	J-6336	J-3342	J-3942	J-4542	J-5142	J-5742	J-6342
Alder-Natural	51" X 36"	57" X 36"	63" X 36"	33" X 42"	39" X 42"	45" X 42"	51" X 42"	57" X 42"	63" X 42"
Alder-Rustic									
Beech-European-Steamed-Natural									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
MDF/HDF-Paint									
Maple-Hard/Soft Mixed-Value/Budget/Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-QS-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	51	55	59	42	46	50	55	59	63

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

P.2.5

V18.2



WalzCraft.com




(Phone) 1-800-237-1326 6:00AM - 5:30PM CST (24 Hour Fax) 1-608-781-3667

## Wall Mount Style Hoods

## Range Hood Options


**JRA - Raised Panel  
Arched Base Hood**



OS

Wood Species	JRA - Hood Part #'s and Sizes								
	JRA-3330	JRA-3930	JRA-4530	JRA-5130	JRA-5730	JRA-6330	JRA-3336	JRA-3936	JRA-4536
Alder-Natural									
Alder-Rustic									
Beech-European-Steamed-Nat.									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
Maple-Hard/Soft/Mixed-Budget	33" X 30"	39" X 30"	45" X 30"	51" X 30"	57" X 30"	63" X 30"	33" X 36"	39" X 36"	45" X 36"
Maple-H/S Mx-Hybrid/MDF-Paint									
MDF/HDF-Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-Quarter Sawn-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	36	39	43	47	51	54	38	43	47
Wood Species	JRA - Hood Part #'s and Sizes								
	JRA-5136	JRA-5736	JRA-6336	JRA-3342	JRA-3942	JRA-4542	JRA-5142	JRA-5742	JRA-6342
Alder-Natural									
Alder-Rustic									
Beech-European-Steamed-Nat.									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
Maple-Hard/Soft/Mixed-Budget	51" X 36"	57" X 36"	63" X 36"	33" X 42"	39" X 42"	45" X 42"	51" X 42"	57" X 42"	63" X 42"
Maple-H/S Mx-Hybrid/MDF-Paint									
MDF/HDF-Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-Quarter Sawn-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	51	55	59	42	46	50	55	59	63

**JRS - Raised Panel  
Square Base Hood**



OS

Wood Species	JRS - Hood Part #'s and Sizes								
	JRS-3330	JRS-3930	JRS-4530	JRS-5130	JRS-5730	JRS-6330	JRS-3336	JRS-3936	JRS-4536
Alder-Natural									
Alder-Rustic									
Beech-European-Steamed-Nat.									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
Maple-Hard/Soft/Mixed-Budget	33" X 30"	39" X 30"	45" X 30"	51" X 30"	57" X 30"	63" X 30"	33" X 36"	39" X 36"	45" X 36"
Maple-H/S Mx-Hybrid/MDF-Paint									
MDF/HDF-Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-Quarter Sawn-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	36	39	43	47	51	54	38	43	47
Wood Species	JRS - Hood Part #'s and Sizes								
	JRS-5136	JRS-5736	JRS-6336	JRS-3342	JRS-3942	JRS-4542	JRS-5142	JRS-5742	JRS-6342
Alder-Natural									
Alder-Rustic									
Beech-European-Steamed-Nat.									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
Maple-Hard/Soft/Mixed-Budget	51" X 36"	57" X 36"	63" X 36"	33" X 42"	39" X 42"	45" X 42"	51" X 42"	57" X 42"	63" X 42"
Maple-H/S Mx-Hybrid/MDF-Paint									
MDF/HDF-Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-Quarter Sawn-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	51	55	59	42	46	50	55	59	63

OS = Product outsourced from other vendor.


*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines.  
It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

## Range Hood Options

## Wall Mount Style Hoods

### J-Series Range Hoods

#### JRSS - Raised Panel Square Base Hood (Single Panel)



Wood Species	JRSS - Hood Part #'s and Sizes								
	JRSS-3330	JRSS-3930	JRSS-4530	JRSS-5130	JRSS-5730	JRSS-6330	JRSS-3336	JRSS-3936	JRSS-4536
Alder-Natural									
Alder-Rustic									
Beech-European-Steamed-Natural									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
MDF/HDF-Paint	33" X 30"	39" X 30"	45" X 30"	51" X 30"	57" X 30"	63" X 30"	33" X 36"	39" X 36"	45" X 36"
Maple-Hard/Soft Mixed-Budget									
Maple-H/S Mx-Hybrid/MDF-Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-QS-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	36	39	43	47	51	54	38	43	47

Wood Species	JRSS - Hood Part #'s and Sizes								
	JRSS-5136	JRSS-5736	JRSS-6336	JRSS-3342	JRSS-3942	JRSS-4542	JRSS-5142	JRSS-5742	JRSS-6342
Alder-Natural									
Alder-Rustic									
Beech-European-Steamed-Natural									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
MDF/HDF-Paint	51" X 36"	57" X 36"	63" X 36"	33" X 42"	39" X 42"	45" X 42"	51" X 42"	57" X 42"	63" X 42"
Maple-Hard/Soft Mixed-Budget									
Maple-H/S Mx-Hybrid/MDF-Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-QS-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	51	55	59	42	46	50	55	59	63

OS

### Ordering & Pricing Notes: J-Series Range Hood

#### Ordering Guidelines

**1 Order Forms** Please use *Range Hoods Order Form (E•Z Form #12)*.

#### Pricing

**1 Pricing** Please see *Section P.1* of our current Wholesale Pricing Catalog.

### Technical Notes: J-Series Range Hood

#### Range Hood Options (Chapter P)

<b>1 Customization</b>	See <i>Section P.7 - Range Hood Notes</i> .
<b>2 Hood Liners</b>	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
<b>3 Removable Access Panel</b>	Available on <b>J, JRA, JRS &amp; JRSS</b> range hoods. See <i>Section P.7 - Range Hood Notes</i> .
<b>4 Moldings</b>	Base and chimney molding comes standard on the J-Series range hoods. You must select a molding package. See <i>Range Hood Molding Options</i> in <i>Section P.7</i> . Any other molding being used as an accessory with your range hood must be ordered separately using <i>Order Form #5</i> . These <b>are not included</b> in the range hood price. See <i>Chapter N</i> for additional molding options.
<b>5 Accent Components</b>	Must be ordered separately, using <i>Order Form #5</i> , see options in <i>Chapter O</i> and <i>Section P.7 - Range Hood Notes</i> .
<b>6 Raised Panel Bases</b>	When ordering <b>JRA, JRS</b> or <b>JRSS</b> , you must select a Stile & Rail profile and a Center Panel profile. See options in <i>Section P.7 - Range Hood Notes</i> .
<b>7 Hood and Vent Installation</b>	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes / Dimensions

<b>1 Available Widths</b>	Available in standard widths to fit a cook top up to 60" [1524.0mm] wide. The hood must be 3" [76.2mm] wider than the range.
---------------------------	---

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

**Your Notes Page**

## Range Hood Options

1-800-237-1326 *WalzCraft*® [www.WalzCraft.com](http://www.WalzCraft.com)

1-800-237-1326 *WalzCraft*® [www.WalzCraft.com](http://www.WalzCraft.com)

1-800-237-1326 *WalzCraft*® [www.WalzCraft.com](http://www.WalzCraft.com)

[illegible]

P



P.2.8  
V18.2



P.2.8  
V18.2

## Range Hood Options

## Wall Mount Style Hoods

### P-Series Range Hood

**P - Standard Hood**



**P - Standard Hood  
with Battens Option**

OS

#### Wood Species

#### P - Hood Part #'s and Sizes

	P-3330	P-3930	P-4530	P-5130	P-5730	P-6330	P-3336	P-3936	P-4536
Alder-Natural	33" X 30"	39" X 30"	45" X 30"	51" X 30"	57" X 30"	63" X 30"	33" X 36"	39" X 36"	45" X 36"
Alder-Rustic									
Beech-European-Steamed-Natural									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
MDF/HDF-Paint									
Maple-Hard/Soft Mixed-Value/Budget/Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-QS-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	36	39	43	47	51	54	36	39	43

#### Wood Species

#### P - Hood Part #'s and Sizes

	P-5136	P-5736	P-6336	P-3342	P-3942	P-4542	P-5142	P-5742	P-6342
Alder-Natural	51" X 36"	57" X 36"	63" X 36"	33" X 42"	39" X 42"	45" X 42"	51" X 42"	57" X 42"	63" X 42"
Alder-Rustic									
Beech-European-Steamed-Natural									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
MDF/HDF-Paint									
Maple-Hard/Soft Mixed-Value/Budget/Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-QS-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	47	51	54	42	46	50	55	59	63

OS = Product outsourced from other vendor.

► For PRICING ► See Section **P.1** in our current Wholesale Pricing Catalog.

**P.2.9**

V18.2



WalzCraft.com



(Phone) 1-800-237-1326

6:00AM - 5:30PM CST

(24 Hour Fax) 1-608-781-3667

## Wall Mount Style Hoods

## Range Hood Options

### Ordering & Pricing Notes: P-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
---	-------------	---

#### Pricing

1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .
---	---------	---

### Technical Notes: P-Series Range Hood

#### Range Hood Options (Chapter P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Removable Access Panel	Available on <b>P</b> range hoods (without battens). See <i>Section P.7 - Range Hood Notes</i> .
4	Moldings	Crown moldings can be affixed to the top horizontal batten and must be ordered separately using <i>Order Form #5</i> . See <i>Section N.1 - Crown Molding</i> .
5	Battens	Please note “with Battens” or “without Battens” in Special Instructions column on the order form.
6	Accent Components	Must be ordered separately, using <i>Order Form # 5</i> , see options in <i>Chapter O</i> and <i>Section P.7 - Range Hood Notes</i> .
7	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes / Dimensions

1	Available Widths	Available in standard widths to fit a cook top up to 60" [1524.0mm] wide. The hood must be 3" [76.2mm] wider than the range.
---	------------------	---


*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

## Range Hood Options

## Island Style Hoods

### I-Series Range Hoods (Island/Ceiling Mount)

#### I - Standard Hood




OS

#### Wood Species

#### I - Hood Part #'s and Width Dimensions

	I-36	I-42	I-48	I-54	I-60
Alder-Natural	36"	42"	48"	54"	60"
Alder-Rustic					
Beech-European-Steamed-Natural					
Cherry-Natural					
Hickory-Natural					
Maple-Hard-Natural					
MDF/HDF-Paint					
Maple-Hard/Soft Mixed-Value/Budget/Paint					
Oak-Red-Natural					
Oak-Red-Quarter Sawn-Natural					
Oak-White-QS-Natural					
Walnut-Natural					
Sq.Ft. for Two-Sided (2S) Finishing	38	41	45	49	53

#### IRA - Raised Panel Arched Base Hood



#### Wood Species

#### IRA - Hood Part #'s and Width Dimensions

	IRA-36	IRA-42	IRA-48	IRA-54	IRA-60
Alder-Natural	36"	42"	48"	54"	60"
Alder-Rustic					
Beech-European-Steamed-Natural					
Cherry-Natural					
Hickory-Natural					
Maple-Hard-Natural					
MDF/HDF-Paint					
Maple-Hard/Soft Mixed-Value/Budget/Paint					
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint					
Oak-Red-Natural					
Oak-Red-Quarter Sawn-Natural					
Oak-White-QS-Natural					
Walnut-Natural					
Sq.Ft. for Two-Sided (2S) Finishing	38	41	45	49	53

OS

OS = Product outsourced from other vendor.

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

P.3.1

V18.2



WalzCraft.com



(Phone) 1-800-237-1326

6:00AM - 5:30PM CST

(24 Hour Fax) 1-608-781-3667

## Island Style Hoods

## Range Hood Options

### Ordering & Pricing Notes: I-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
<b>Pricing</b>		
1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .

### Technical Notes: I-Series Range Hood

#### Range Hood Options (P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Removable Access Panel	Available on <b>I &amp; IRA</b> range hoods. See <i>Section P.7 - Range Hood Notes</i> .
4	Moldings	Base and chimney molding comes standard on the I-Series range hoods. You must select a molding package. See <b>Range Hood Molding Options</b> in <i>Section P.7</i> . Any other molding being used as an accessory with your range hood must be ordered separately using <b>Order Form #5</b> . These <i>are not included</i> in the range hood price. See <i>Chapter N</i> for additional molding options.
5	Accent Components	Must be ordered separately, using <b>Order Form #5</b> . See options in <i>Chapter O and Section P.7 - Range Hood Notes</i> .
6	Raised Panel Bases	When ordering <b>IRA</b> , you must select a Stile & Rail profile and a Center Panel profile. See options in <i>Section P.7 - Range Hood Notes</i> .
7	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes / Dimensions

1	Available Widths	Available in standard widths to fit a cook top up to 60" [1524.0mm] wide. Island hoods should be 6" [152.4mm] wider than the cooking surface.
2	Overall Width	For the overall width of the hood, measuring from tip to tip on the applied decorative molding, <b>add 2¼" [57.2mm] to the width listed in the grids</b> .
3	Hood Height	Minimum Hood Height = 28" [711.2mm]. Please provide "overall" hood height. I-Series hoods include a concealed mounting system. I-Series can not be trimmed on job site.


P

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

## Range Hood Options

## Curved Style Hoods

### E-Series Range Hoods



OS

#### Wood Species

#### E - Hood Part #'s and Sizes

	E-3630	E-4230	E-4830	E-5430	E-6030	E-3642	E-4242	E-4842
Alder-Natural	36" X 30"	42" X 30"	48" X 30"	54" X 30"	60" X 30"	36" X 42"	42" X 42"	48" X 42"
Alder-Rustic								
Beech-European-Steamed-Natural								
Cherry-Natural								
Hickory-Natural								
Maple-Hard-Natural								
MDF/HDF-Paint								
Maple-Hard/Soft Mixed-Value/Budget/Paint								
Oak-Red-Natural								
Oak-Red-Quarter Sawn-Natural								
Oak-White-QS-Natural								
Walnut-Natural								
Sq.Ft. for Two-Sided (2S) Finishing	38	41	45	49	53	44	48	53

#### Wood Species

	E-5442	E-6042	E-3648	E-4248	E-4848	E-5448	E-6048
Alder-Natural	54" X 42"	60" X 42"	36" X 48"	42" X 48"	48" X 48"	54" X 48"	60" X 48"
Alder-Rustic							
Beech-European-Steamed-Natural							
Cherry-Natural							
Hickory-Natural							
Maple-Hard-Natural							
MDF/HDF-Paint							
Maple-Hard/Soft Mixed-Value/Budget/Paint							
Oak-Red-Natural							
Oak-Red-Quarter Sawn-Natural							
Oak-White-QS-Natural							
Walnut-Natural							
Sq.Ft. for Two-Sided (2S) Finishing	57	61	60	66	72	78	84

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

P.4.1

V18.2



WalzCraft.com



(Phone) 1-800-237-1326


6:00AM - 5:30PM CST

(24 Hour Fax) 1-608-781-3667

## Curved Style Hoods

## Range Hood Options


**ERA - Raised Panel  
Arched Base Hood**



OS

Wood Species	ERA - Hood Part #'s and Sizes							
	ERA-3630	ERA-4230	ERA-4830	ERA-5430	ERA-6030	ERA-3642	ERA-4242	ERA-4842
Alder-Natural	36" X 30"	42" X 30"	48" X 30"	54" X 30"	60" X 30"	36" X 42"	42" X 42"	48" X 42"
Alder-Rustic								
Beech-European-Steamed-Natural								
Cherry-Natural								
Hickory-Natural								
Maple-Hard-Natural								
MDF/HDF-Paint								
Maple-Hard/Soft Mixed-Budget								
Maple-H/S Mx-Hybrid/MDF-Paint								
Oak-Red-Natural								
Oak-Red-Quarter Sawn-Natural								
Oak-White-QS-Natural								
Walnut-Natural								
Sq.Ft. for Two-Sided (2S) Finishing	38	41	45	49	53	44	48	53
Wood Species	ERA - Hood Part #'s and Sizes							
	ERA-5442	ERA-6042	ERA-3648	ERA-4248	ERA-4848	ERA-5448	ERA-6048	
Alder-Natural	54" X 42"	60" X 42"	36" X 48"	42" X 48"	48" X 48"	54" X 48"	60" X 48"	
Alder-Rustic								
Beech-European-Steamed-Natural								
Cherry-Natural								
Hickory-Natural								
Maple-Hard-Natural								
MDF/HDF-Paint								
Maple-Hard/Soft Mixed-Budget								
Maple-H/S Mx-Hybrid/MDF-Paint								
Oak-Red-Natural								
Oak-Red-Quarter Sawn-Natural								
Oak-White-QS-Natural								
Walnut-Natural								
Sq.Ft. for Two-Sided (2S) Finishing	57	61	60	66	72	78	84	

**ERS - Raised Panel  
Square Base Hood**



OS

Wood Species	ERS - Hood Part #'s and Sizes							
	ERS-3630	ERS-4230	ERS-4830	ERS-5430	ERS-6030	ERS-3642	ERS-4242	ERS-4842
Alder-Natural	36" X 30"	42" X 30"	48" X 30"	54" X 30"	60" X 30"	36" X 42"	42" X 42"	48" X 42"
Alder-Rustic								
Beech-European-Steamed-Natural								
Cherry-Natural								
Hickory-Natural								
Maple-Hard-Natural								
MDF/HDF-Paint								
Maple-Hard/Soft Mixed-Budget								
Maple-H/S Mx-Hybrid/MDF-Paint								
Oak-Red-Natural								
Oak-Red-Quarter Sawn-Natural								
Oak-White-QS-Natural								
Walnut-Natural								
Sq.Ft. for Two-Sided (2S) Finishing	38	41	45	49	53	44	48	53
Wood Species	ERS - Hood Part #'s and Sizes							
	ERS-5442	ERS-6042	ERS-3648	ERS-4248	ERS-4848	ERS-5448	ERS-6048	
Alder-Natural	54" X 42"	60" X 42"	36" X 48"	42" X 48"	48" X 48"	54" X 48"	60" X 48"	
Alder-Rustic								
Beech-European-Steamed-Natural								
Cherry-Natural								
Hickory-Natural								
Maple-Hard-Natural								
MDF/HDF-Paint								
Maple-Hard/Soft Mixed-Budget								
Maple-H/S Mx-Hybrid/MDF-Paint								
Oak-Red-Natural								
Oak-Red-Quarter Sawn-Natural								
Oak-White-QS-Natural								
Walnut-Natural								
Sq.Ft. for Two-Sided (2S) Finishing	57	61	60	66	72	78	84	

OS = Product outsourced from other vendor.


*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

## Range Hood Options

## Curved Style Hoods

ERSS - Raised Panel  
Square Base Hood  
(Single Panel)



Wood Species	ERSS - Hood Part #'s and Sizes							
	ERSS-3630	ERSS-4230	ERSS-4830	ERSS-5430	ERSS-6030	ERSS-3642	ERSS-4242	ERSS-4842
Alder-Natural	36" X 30"	42" X 30"	48" X 30"	54" X 30"	60" X 30"	36" X 42"	42" X 42"	48" X 42"
Alder-Rustic								
Beech-European-Steamed-Natural								
Cherry-Natural								
Hickory-Natural								
Maple-Hard-Natural								
MDF/HDF-Paint								
Maple-Hard/Soft Mixed-Budget								
Maple-H/S Mx-Hybrid/MDF-Paint								
Oak-Red-Natural								
Oak-Red-Quarter Sawn-Natural								
Oak-White-QS-Natural								
Walnut-Natural								
Sq.Ft. for Two-Sided (2S) Finishing	38	41	45	49	53	44	48	53
Wood Species	ERSS - Hood Part #'s and Sizes							
	ERSS-5442	ERSS-6042	ERSS-3648	ERSS-4248	ERSS-4848	ERSS-5448	ERSS-6048	
Alder-Natural	54" X 42"	60" X 42"	36" X 48"	42" X 48"	48" X 48"	54" X 48"	60" X 48"	
Alder-Rustic								
Beech-European-Steamed-Natural								
Cherry-Natural								
Hickory-Natural								
Maple-Hard-Natural								
MDF/HDF-Paint								
Maple-Hard/Soft Mixed-Budget								
Maple-H/S Mx-Hybrid/MDF-Paint								
Oak-Red-Natural								
Oak-Red-Quarter Sawn-Natural								
Oak-White-QS-Natural								
Walnut-Natural								
Sq.Ft. for Two-Sided (2S) Finishing	57	61	60	66	72	78	84	

OS

### Ordering & Pricing Notes: E-Series Range Hood

#### Ordering Guidelines

1 Order Forms Please use *Range Hoods Order Form (E•Z Form #12)*.

#### Pricing

1 Pricing Please see *Section P.4* of our current Wholesale Pricing Catalog.

### Technical Notes: E-Series Range Hood

#### Range Hood Options (Chapter P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Moldings	Base molding comes standard on the E-Series range hoods. You must select a molding package. See <b>Range Hood Molding Options</b> in <i>Section P.7</i> . Any other molding being used as an accessory with your range hood must be ordered separately using <i>Order Form #5</i> . These <b>are not included</b> in the range hood price. See <i>Chapter N</i> for additional molding options.
4	Removable Top	Removable Tops are an <i>optional feature</i> , available for Series E, G, and T range hoods. See <i>Section P.7</i> .
5	Accent Components	Must be ordered separately, using <i>Order Form #5</i> , see options in <i>Chapter O and Section P.7 - Range Hood Notes</i> .
6	Raised Panel Bases	When ordering ERA, ERS or ERSS, you must select a Stile & Rail profile and a Center Panel profile. See options in <i>Section P.7 - Range Hood Notes</i> .
7	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes / Dimensions

1	Available Widths	Available in standard widths to fit a cook top up to 60" [1524.0mm] wide.
2	Overall Width	For the overall width of the hood, measuring from tip to tip on the applied decorative molding, <b>add 2 1/4" [57.2mm] to the width listed in the grids.</b>
3	Chimney	Not recommended to be cut down in the field. Specify height at time of order.

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See *Section P.1* in our current Wholesale Pricing Catalog.

**Your Notes Page**

## Range Hood Options

1-800-237-1326 *WalzCraft*® [www.WalzCraft.com](http://www.WalzCraft.com)

1-800-237-1326 *WalzCraft*® [www.WalzCraft.com](http://www.WalzCraft.com)

1-800-237-1326 *WalzCraft*® [www.WalzCraft.com](http://www.WalzCraft.com)

[illegible]


**P**

## Range Hood Options

## Curved Style Hoods

### B-Series Range Hoods

**B - Standard Hood**




OS

Wood Species	B - Hood Part #'s and Sizes														
	B-3630	B-4230	B-4830	B-5430	B-6030	B-3642	B-4242	B-4842	B-5442	B-6042	B-3648	B-4248	B-4848	B-5448	B-6048
Alder-Natural	36" X 30"	42" X 30"	48" X 30"	54" X 30"	60" X 30"	36" X 42"	42" X 42"	48" X 42"	54" X 42"	60" X 42"	36" X 48"	42" X 48"	48" X 48"	54" X 48"	60" X 48"
Alder-Rustic															
Beech-European-Steamed-Natural															
Cherry-Natural															
Hickory-Natural															
Maple-Hard-Natural															
MDF/HDF-Paint															
Maple-Hard/Soft Mixed-Budget															
Oak-Red-Natural															
Oak-Red-Quarter Sawn-Natural															
Oak-White-QS-Natural															
Walnut-Natural															
Sq.Ft. for Two-Sided (2S) Finishing	38	41	45	49	53	53	58	63	68	74	60	66	72	78	84

**BDP1 - Decorative Panel Base Hood**

30", 42", 48" Heights  
Can not be trimmed.  
Custom heights are available.



OS

**Wood Species**

Alder-Natural	36" X 30"	42" X 30"	48" X 30"	54" X 30"	60" X 30"	36" X 42"	42" X 42"	48" X 42"
Alder-Rustic								
Beech-European-Steamed-Natural								
Cherry-Natural								
Hickory-Natural								
Maple-Hard-Natural								
MDF/HDF-Paint								
Maple-Hard/Soft Mixed-Budget								
Oak-Red-Natural								
Oak-Red-Quarter Sawn-Natural								
Oak-White-QS-Natural								
Walnut-Natural								
Sq.Ft. for Two-Sided (2S) Finishing	38	41	45	49	53	53	58	63

**Wood Species**

Wood Species	BDP1 - Hood Part #'s and Sizes						
	BDP1-5442	BDP1-6042	BDP1-3648	BDP1-4248	BDP1-4848	BDP1-5448	BDP1-6048
Alder-Natural							
Alder-Rustic							
Beech-European-Steamed-Natural							
Cherry-Natural							
Hickory-Natural							
Maple-Hard-Natural	54" X 42"	60" X 42"	36" X 48"	42" X 48"	48" X 48"	54" X 48"	60" X 48"
MDF/HDF-Paint							
Maple-Hard/Soft Mixed-Budget							
Oak-Red-Natural							
Oak-Red-Quarter Sawn-Natural							
Oak-White-QS-Natural							
Walnut-Natural							
Sq.Ft. for Two-Sided (2S) Finishing	68	74	60	66	72	78	84

OS = Product outsourced from other vendor.

## Curved Style Hoods

## Range Hood Options

### Ordering & Pricing Notes: B-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
---	-------------	---

#### Pricing

1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .
---	---------	---

### Technical Notes: B-Series Range Hood

#### Range Hood Options (P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Moldings	Base molding comes standard on the <b>BDP1</b> range hood. You must select a molding package. See <b>Range Hood Molding Options</b> in <i>Section P.7</i> . Not available on the <b>B-Standard</b> range hood. Any other molding being used as an accessory with your range hood must be ordered separately using <i>Order Form #5</i> . These <i>are not included</i> in the range hood price. See <i>Chapter N</i> for additional molding options.
4	Accent Components	Must be ordered separately, using <i>Order Form # 5</i> . See options in <i>Chapter O</i> and <i>Section P.7 - Range Hood Notes</i> .
5	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes / Dimensions

1	Available Widths	Available in standard widths to fit a cook top up to 60" [1524.0mm] wide.
2	Overall Width	For the overall width of the hood, measuring from tip to tip on the applied decorative molding, <b>add 4¾" [120.7mm] to the width listed in the grids.</b>
3	Hood Height	Available in three standard heights: 30" [762.0mm], 42" [1066.8mm] and 48" [1219.2mm]. This hood should <i>not</i> be trimmed in the field.

P

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*


► For **PRICING** ► See *Section P.1* in our current Wholesale Pricing Catalog.

## Range Hood Options

## Curved Style Hoods

### D-Series Range Hood

DDP1 - Standard Hood



OS

#### Wood Species

#### DDP1 - Hood Part #'s and Sizes

	DDP1-3630	DDP1-4230	DDP1-4830	DDP1-5430	DDP1-6030	DDP1-3642	DDP1-4242	DDP1-4842
Alder-Natural	36" X 30"	42" X 30"	48" X 30"	54" X 30"	60" X 30"	36" X 42"	42" X 42"	48" X 42"
Alder-Rustic								
Beech-European-Steamed-Natural								
Cherry-Natural								
Hickory-Natural								
Maple-Hard-Natural								
MDF/HDF-Paint								
Maple-Hard/Soft Mixed-Value\Budget\Paint								
Oak-Red-Natural								
Oak-Red-Quarter Sawn-Natural								
Oak-White-QS-Natural								
Walnut-Natural								
Sq.Ft. for Two-Sided (2S) Finishing	38	41	45	49	53	53	58	63

#### Wood Species

#### DDP1 - Hood Part #'s and Sizes

	DDP1-5442	DDP1-6042	DDP1-3648	DDP1-4248	DDP1-4848	DDP1-5448	DDP1-6048
Alder-Natural	54" X 42"	60" X 42"	36" X 48"	42" X 48"	48" X 48"	54" X 48"	60" X 48"
Alder-Rustic							
Beech-European-Steamed-Natural							
Cherry-Natural							
Hickory-Natural							
Maple-Hard-Natural							
MDF/HDF-Paint							
Maple-Hard/Soft Mixed-Value\Budget\Paint							
Oak-Red-Natural							
Oak-Red-Quarter Sawn-Natural							
Oak-White-QS-Natural							
Walnut-Natural							
Sq.Ft. for Two-Sided (2S) Finishing	68	74	60	66	72	78	84

OS = Product outsourced from other vendor.

► For PRICING ► See Section **P.1** in our current Wholesale Pricing Catalog.

P.4.7

V18.2



WalzCraft.com



(Phone) 1-800-237-1326

6:00AM - 5:30PM CST

(24 Hour Fax) 1-608-781-3667

## Curved Style Hoods

## Range Hood Options

### Ordering & Pricing Notes: D-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
---	-------------	---

#### Pricing

1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .
---	---------	---

### Technical Notes: D-Series Range Hood

#### Range Hood Options (P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Moldings	Base molding comes standard on the <b>DDP1</b> range hood. You must select a molding package. See <b>Range Hood Molding Options</b> in <i>Section P.7</i> . Any other molding being used as an accessory with your range hood must be ordered separately using <i>Order Form #5</i> . These <b>are not included</b> in the range hood price. See <i>Chapter N</i> for additional molding options.
4	Accent Components	Must be ordered separately, using <i>Order Form # 5</i> . See options in <i>Chapter O</i> and <i>Section P.7 - Range Hood Notes</i> .
5	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes / Dimensions

1	Available Widths	Available in standard widths to fit a cook top up to 60" [1524.0mm] wide.
2	Overall Width	For the overall width of the hood, measuring from tip to tip on the applied decorative molding, <b>add 4¾" [120.7mm] to the width listed in the grids.</b>
3	Hood Height	Available in three standard heights: 30" [762.0mm], 42" [1066.8mm] and 48" [1219.2mm]. This hood should <b>not</b> be trimmed in the field.

P


*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For **PRICING** ► See *Section P.1* in our current Wholesale Pricing Catalog.

## Range Hood Options

## Mantel Style Hoods

### M-Series Range Hood



OS

\* See Notes for information regarding Corbels.

#### Wood Species

#### MS - Hood Part #'s and Sizes

Wood Species	MS-3024	MS-3624	MS-4224	MS-4824	MS-5424	MS-6024	MS-3030	MS-3630	MS-4230	MS-4830	MS-5430	MS-6030
Alder-Natural	30" X 24"	36" X 24"	42" X 24"	48" X 24"	54" X 24"	60" X 24"	30" X 30"	36" X 30"	42" X 30"	48" X 30"	54" X 30"	60" X 30"
Alder-Rustic												
Beech-European-Steamed-Natural												
Cherry-Natural												
Hickory-Natural												
Maple-Hard-Natural												
MDF/HDF-Paint												
Maple-Hard/Soft Mixed-Budget												
Maple-H/S Mx-Hybrid/MDF-Paint												
Oak-Red-Natural												
Oak-Red-Quarter Sawn-Natural												
Oak-White-QS-Natural												
Walnut-Natural												
Sq.Ft. for Two-Sided (2S) Finishing	31	35	38	42	46	50	38	42	47	51	56	60

#### Wood Species

#### MS - Hood Part #'s and Sizes

Wood Species	MS-3036	MS-3636	MS-4236	MS-4836	MS-5436	MS-6036	MS-3042	MS-3642	MS-4242	MS-4842	MS-5442	MS-6042
Alder-Natural	30" X 36"	36" X 36"	42" X 36"	48" X 36"	54" X 36"	60" X 36"	30" X 42"	36" X 42"	42" X 42"	48" X 42"	54" X 42"	60" X 42"
Alder-Rustic												
Beech-European-Steamed-Natural												
Cherry-Natural												
Hickory-Natural												
Maple-Hard-Natural												
MDF/HDF-Paint												
Maple-Hard/Soft Mixed-Budget												
Maple-H/S Mx-Hybrid/MDF-Paint												
Oak-Red-Natural												
Oak-Red-Quarter Sawn-Natural												
Oak-White-QS-Natural												
Walnut-Natural												
Sq.Ft. for Two-Sided (2S) Finishing	44	50	55	60	65	71	51	57	63	69	75	81

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

P.5.1

V18.2



WalzCraft.com



(Phone) 1-800-237-1326

6:00AM - 5:30PM CST

(24 Hour Fax) 1-608-781-3667

## Mantel Style Hoods

## Range Hood Options

Wood Species	MS - Hood Part #'s and Sizes					
	MS-3048	MS-3648	MS-4248	MS-4848	MS-5448	MS-6048
Alder-Natural	30" X 48"	36" X 48"	42" X 48"	48" X 48"	54" X 48"	60" X 48"
Alder-Rustic						
Beech-European-Steamed-Natural						
Cherry-Natural						
Hickory-Natural						
Maple-Hard-Natural						
MDF/HDF-Paint						
Maple-Hard/Soft Mixed-Value/Budget/Paint						
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint						
Oak-Red-Natural						
Oak-Red-Quarter Sawn-Natural						
Oak-White-QS-Natural						
Walnut-Natural						
Sq.Ft. for Two-Sided (2S) Finishing	58	65	71	78	85	92

### Ordering & Pricing Notes: M-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
<b>Pricing</b>		
1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .


### Technical Notes: M-Series Range Hood

#### Range Hood Options (P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Removable Access Panel with Shelf	M-Series range hoods come standard with a removable panel, and shelf to help conceal the panel. See <i>Section P.7 - Range Hood Notes</i> .
4	Moldings	Crown moldings can be affixed to the top rail and must be ordered separately using <i>Order Form # 5</i> . For crown molding options, see <i>Section N.1 - Crown Molding</i> .
5	Corbels	Corbels do not come standard with the Range Hood. Available options will be presented prior to quoting the project. Space available for corbel placement: 5"W x 5"D x 10"H [127.0mm x 127.0mm x 254.0mm].
6	Raised Panel Hood	When ordering MS, you must select a Stile & Rail profile and a Center Panel profile. See options in <i>Section P.7 - Range Hood Notes</i> .
7	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes/Dimensions

1	Available Widths	Available in standard widths to fit a cook top up to 60" [1524.0mm] wide.
---	------------------	---

 = Product outsourced from other vendor.


*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See *Section P.1* in our current Wholesale Pricing Catalog.

## Range Hood Options

## Mantel Style Hoods

### S-Series Range Hoods



OS

#### Wood Species

#### S - Hood Part #'s and Sizes

	S-3324	S-3924	S-4524	S-5124	S-5724	S-6324	S-3330	S-3930	S-4530	S-5130	S-5730	S-6330
Alder-Natural	33" x 24"	39" x 24"	45" x 24"	51" x 24"	57" x 24"	63" x 24"	33" x 30"	39" x 30"	45" x 30"	51" x 30"	57" x 30"	63" x 30"
Alder-Rustic												
Beech-European-Steamed-Natural												
Cherry-Natural												
Hickory-Natural												
Maple-Hard-Natural												
MDF/HDF-Paint												
Maple-Hard/Soft Mixed-Value/Budget/Paint												
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint												
Oak-Red-Natural												
Oak-Red-Quarter Sawn-Natural												
Oak-White-QS-Natural												
Walnut-Natural												
<b>Sq.Ft. for Two-Sided (2S) Finishing</b>	<b>29</b>	<b>32</b>	<b>35</b>	<b>38</b>	<b>41</b>	<b>44</b>	<b>36</b>	<b>39</b>	<b>43</b>	<b>47</b>	<b>51</b>	<b>54</b>

#### Wood Species

#### S - Hood Part #'s and Sizes

	S-3336	S-3936	S-4536	S-5136	S-5736	S-6336	S-3342	S-3942	S-4542	S-5142	S-5742	S-6342
Alder-Natural	33" x 36"	39" x 36"	45" x 36"	51" x 36"	57" x 36"	63" x 36"	33" x 42"	39" x 42"	45" x 42"	51" x 42"	57" x 42"	63" x 42"
Alder-Rustic												
Beech-European-Steamed-Natural												
Cherry-Natural												
Hickory-Natural												
Maple-Hard-Natural												
MDF/HDF-Paint												
Maple-Hard/Soft Mixed-Value/Budget/Paint												
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint												
Oak-Red-Natural												
Oak-Red-Quarter Sawn-Natural												
Oak-White-QS-Natural												
Walnut-Natural												
<b>Sq.Ft. for Two-Sided (2S) Finishing</b>	<b>43</b>	<b>47</b>	<b>52</b>	<b>56</b>	<b>61</b>	<b>65</b>	<b>50</b>	<b>55</b>	<b>60</b>	<b>66</b>	<b>71</b>	<b>76</b>

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

P.5.3

V18.2



WalzCraft.com



(Phone) 1-800-237-1326


6:00AM - 5:30PM CST

(24 Hour Fax) 1-608-781-3667

## Mantel Style Hoods

## Range Hood Options


**SRA - Raised Panel  
Arched Base Hood**



OS

Wood Species	SRA - Hood Part #'s and Sizes											
	SRA-3324	SRA-3924	SRA-4524	SRA-5124	SRA-5724	SRA-6324	SRA-3330	SRA-3930	SRA-4530	SRA-5130	SRA-5730	SRA-6330
Alder-Natural												
Alder-Rustic												
Beech-European-Steamed-Natural												
Cherry-Natural												
Hickory-Natural												
Maple-Hard-Natural												
MDF/HDF-Paint	33"X24"	39"X24"	45"X24"	51"X24"	57"X24"	63"X24"	33"X30"	39"X30"	45"X30"	51"X30"	57"X30"	63"X30"
Maple-Hard/Soft Mixed-Budget												
Maple-H/S Mx-Hybrid/MDF-Paint												
Oak-Red-Natural												
Oak-Red-Quarter Sawn-Natural												
Oak-White-QS-Natural												
Walnut-Natural												
Sq.Ft. for Two-Sided (2S) Finishing	29	32	35	38	41	44	36	39	43	47	51	54
Wood Species	SRA - Hood Part #'s and Sizes											
	SRA-3336	SRA-3936	SRA-4536	SRA-5136	SRA-5736	SRA-6336	SRA-3342	SRA-3942	SRA-4542	SRA-5142	SRA-5742	SRA-6342
Alder-Natural												
Alder-Rustic												
Beech-European-Steamed-Natural												
Cherry-Natural												
Hickory-Natural												
Maple-Hard-Natural												
MDF/HDF-Paint	33"X36"	39"X36"	45"X36"	51"X36"	57"X36"	63"X36"	33"X42"	39"X42"	45"X42"	51"X42"	57"X42"	63"X42"
Maple-Hard/Soft Mixed-Budget												
Maple-H/S Mx-Hybrid/MDF-Paint												
Oak-Red-Natural												
Oak-Red-Quarter Sawn-Natural												
Oak-White-QS-Natural												
Walnut-Natural												
Sq.Ft. for Two-Sided (2S) Finishing	43	47	52	56	61	65	50	55	60	66	71	76

**SRSS - Raised Panel  
Square Base Hood  
(Single Panel)**



OS

Wood Species	SRSS - Hood Part #'s and Sizes											
	SRSS-3324	SRSS-3924	SRSS-4524	SRSS-5124	SRSS-5724	SRSS-6324	SRSS-3330	SRSS-3930	SRSS-4530	SRSS-5130	SRSS-5730	SRSS-6330
Alder-Natural												
Alder-Rustic												
Beech-European-Steamed-Natural												
Cherry-Natural												
Hickory-Natural												
Maple-Hard-Natural												
MDF/HDF-Paint	33"X24"	39"X24"	45"X24"	51"X24"	57"X24"	63"X24"	33"X30"	39"X30"	45"X30"	51"X30"	57"X30"	63"X30"
Maple-Hard/Soft Mixed-Budget												
Maple-H/S Mx-Hybrid/MDF-Paint												
Oak-Red-Natural												
Oak-Red-Quarter Sawn-Natural												
Oak-White-QS-Natural												
Walnut-Natural												
Sq.Ft. for Two-Sided (2S) Finishing	29	32	35	38	41	44	36	39	43	47	51	54
Wood Species	SRSS - Hood Part #'s and Sizes											
	SRSS-3336	SRSS-3936	SRSS-4536	SRSS-5136	SRSS-5736	SRSS-6336	SRSS-3342	SRSS-3942	SRSS-4542	SRSS-5142	SRSS-5742	SRSS-6342
Alder-Natural												
Alder-Rustic												
Beech-European-Steamed-Natural												
Cherry-Natural												
Hickory-Natural												
Maple-Hard-Natural												
MDF/HDF-Paint	33"X36"	39"X36"	45"X36"	51"X36"	57"X36"	63"X36"	33"X42"	39"X42"	45"X42"	51"X42"	57"X42"	63"X42"
Maple-Hard/Soft Mixed-Budget												
Maple-H/S Mx-Hybrid/MDF-Paint												
Oak-Red-Natural												
Oak-Red-Quarter Sawn-Natural												
Oak-White-QS-Natural												
Walnut-Natural												
Sq.Ft. for Two-Sided (2S) Finishing	43	47	52	56	61	65	50	55	60	66	71	76

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

## Range Hood Options

## Mantel Style Hoods

### Ordering & Pricing Notes: S-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
<b>Pricing</b>		
1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .

### Technical Notes: S-Series Range Hood

#### Range Hood Options (Chapter P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Removable Access Panel	S-Series range hoods come standard with a removeable panel. See <i>Section P.7 - Range Hood Notes</i> .
4	Moldings	Base molding comes standard on the S-Series range hoods. You must select a molding package. See <b>Range Hood Molding Options</b> in <i>Section P.7</i> . Any other molding being used as an accessory with your range hood must be ordered separately using <i>Order Form #5</i> . These <b>are not included</b> in the range hood price. See <i>Chapter N</i> for additional molding options.
5	Accent Components	Must be ordered separately, using <i>Order Form #5</i> , see options in <i>Chapter O</i> and <i>Section P.7 - Range Hood Notes</i> .
6	Raised Panel Hoods	When ordering S, SRA or SRSS, you must select a Stile & Rail profile and a Center Panel profile. See options in <i>Section P.7 - Range Hood Notes</i> .
7	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes / Dimensions

1	Available Widths	Available in standard widths to fit a cook top up to 60" [1524.0mm] wide. The hood must be 3" [76.2mm] wider than the range.
---	------------------	---

 = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See *Section P.1* in our current Wholesale Pricing Catalog.



**Your Notes Page**

## Range Hood Options

1-800-237-1326  www.WalzCraft.com

1-800-237-1326  www.WalzCraft.com

1-800-237-1326  www.WalzCraft.com

[illegible]

P




**P.5.6**  
V18.2

**P.5.6**  
V18.2

## Range Hood Options

## Mantel Style Hoods

### A-Series Range Hoods



#### Wood Species

#### A - Hood Part #'s and Sizes

	A-3330	A-3930	A-4530	A-5130	A-5730	A-6330	A-3336	A-3936	A-4536
Alder-Natural	33" X 30"	39" X 30"	45" X 30"	51" X 30"	57" X 30"	63" X 30"	33" X 36"	39" X 36"	45" X 36"
Alder-Rustic									
Beech-European-Steamed-Natural									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
MDF/HDF-Paint									
Maple-Hard/Soft Mixed-Value/Budget/Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-QS-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	36	39	43	47	51	54	43	47	52

#### Wood Species

#### A - Hood Part #'s and Sizes

	A-5136	A-5736	A-6336	A-3342	A-3942	A-4542	A-5142	A-5742	A-6342
Alder-Natural	51" X 36"	57" X 36"	63" X 36"	33" X 42"	39" X 42"	45" X 42"	51" X 42"	57" X 42"	63" X 42"
Alder-Rustic									
Beech-European-Steamed-Natural									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
MDF/HDF-Paint									
Maple-Hard/Soft Mixed-Value/Budget/Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-QS-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	56	61	65	50	55	60	66	71	76

**OS** = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► **For PRICING** ► See Section **P.1** in our current Wholesale Pricing Catalog.

**P.5.7**

V18.2



WalzCraft.com



(Phone) 1-800-237-1326

6:00AM - 5:30PM CST

(24 Hour Fax) 1-608-781-3667

## Mantel Style Hoods

## Range Hood Options

ARA - Raised Panel Arched Hood		ARA - Hood Part #'s and Sizes								
Wood Species		ARA-3330	ARA-3930	ARA-4530	ARA-5130	ARA-5730	ARA-6330	ARA-3336	ARA-3936	ARA-4536
Alder-Natural										
Alder-Rustic										
Beech-European-Steamed-Natural										
Cherry-Natural										
Hickory-Natural										
Maple-Hard-Natural										
MDF/HDF-Paint		33" X 30"	39" X 30"	45" X 30"	51" X 30"	57" X 30"	63" X 30"	33" X 36"	39" X 36"	45" X 36"
Maple-Hard/Soft Mixed-Value/Budget/Paint										
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint										
Oak-Red-Natural										
Oak-Red-Quarter Sawn-Natural										
Oak-White-QS-Natural										
Walnut-Natural										
Sq.Ft. for Two-Sided (2S) Finishing		36	39	43	47	51	54	43	47	52
Wood Species		ARA - Hood Part #'s and Sizes								
		ARA-5136	ARA-5736	ARA-6336	ARA-3342	ARA-3942	ARA-4542	ARA-5142	ARA-5742	ARA-6342
Alder-Natural										
Alder-Rustic										
Beech-European-Steamed-Natural										
Cherry-Natural										
Hickory-Natural										
Maple-Hard-Natural										
MDF/HDF-Paint		51" X 36"	57" X 36"	63" X 36"	33" X 42"	39" X 42"	45" X 42"	51" X 42"	57" X 42"	63" X 42"
Maple-Hard/Soft Mixed-Value/Budget/Paint										
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint										
Oak-Red-Natural										
Oak-Red-Quarter Sawn-Natural										
Oak-White-QS-Natural										
Walnut-Natural										
Sq.Ft. for Two-Sided (2S) Finishing		56	61	65	50	55	60	66	71	76

OS

### Ordering & Pricing Notes: A-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
<b>Pricing</b>		
1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .

### Technical Notes: A-Series Range Hood

#### Range Hood Options (P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Removable Access Panel	A-Series range hoods come standard with a removable panel. See <i>Section P.7 - Range Hood Notes</i> .
4	Moldings	Base molding comes standard on the A-Series range hoods. You must select a molding package. See <b>Range Hood Molding Options</b> in <i>Section P.7</i> . Any other molding being used as an accessory with your range hood must be ordered separately using <b>Order Form #5</b> . These <i>are not included</i> in the range hood price. See <i>Chapter N</i> for additional molding options.
5	Accent Components	Must be ordered separately, using <b>Order Form #5</b> . See options in <i>Chapter O</i> and <i>Section P.7 - Range Hood Notes</i> .
6	Raised Panel Hood	When ordering ARA, you must select a Stile & Rail profile and a Center Panel profile. See options in <i>Section P.7 - Range Hood Notes</i> .
7	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes / Dimensions

1	Available Widths	Available in standard widths to fit a cook top up to 60" [1524.0mm] wide. The hood must be 3" [76.2mm] wider than the range.
---	------------------	---

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See *Section P.1* in our current Wholesale Pricing Catalog.



WalzCraft.com



99.7% American Made


P.5.8

V18.2

## Range Hood Options

## Mantel Style Hoods

### W-Series Range Hoods



\* See Notes for information regarding Corbels.


OS

### W - Hood Part #'s and Sizes

Wood Species	W6660	W7260	W8460	W9060	W6672	W7272	W8472	W9072	W6684	W7284	W8484	W9084
Alder-Natural	66"X 60"	72"X 60"	84"X 60"	90"X 60"	66"X 72"	72"X 72"	84"X 72"	90"X 72"	66"X 84"	72"X 84"	84"X 84"	90"X 84"
Alder-Rustic												
Beech-European-Steamed-Natural												
Cherry-Natural												
Hickory-Natural												
Maple-Hard-Natural												
MDF/HDF-Paint												
Maple-Hard/Soft Mixed-Budget												
Maple-H/S Mixed-Hybrid/MDF-Paint												
Oak-Red-Natural												
Oak-Red-Quarter Sawn-Natural												
Oak-White-QS-Natural												
Walnut-Natural												
Sq.Ft. for Two-Sided (2S) Finishing	92	99	112	118	111	118	134	142	129	138	156	165

P

### WRA - Raised Panel Arched Hood



### Wood Species

### WRA - Hood Part #'s and Sizes

Wood Species	WRA6660	WRA7260	WRA8460	WRA9060	WRA6672	WRA7272	WRA8472	WRA9072	WRA6684	WRA7284	WRA8484	WRA9084
Alder-Natural	66"X 60"	72"X 60"	84"X 60"	90"X 60"	66"X 72"	72"X 72"	84"X 72"	90"X 72"	66"X 84"	72"X 84"	84"X 84"	90"X 84"
Alder-Rustic												
Beech-European-Steamed-Natural												
Cherry-Natural												
Hickory-Natural												
Maple-Hard-Natural												
MDF/HDF-Paint												
Maple-Hard/Soft Mixed-Budget												
Maple-H/S Mixed-Hybrid/MDF-Paint												
Oak-Red-Natural												
Oak-Red-Quarter Sawn-Natural												
Oak-White-QS-Natural												
Walnut-Natural												
Sq.Ft. for Two-Sided (2S) Finishing	92	99	112	118	111	118	134	142	129	138	156	165

OS

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

## Mantel Style Hoods

## Range Hood Options

### Ordering & Pricing Notes: W-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
---	-------------	---

#### Pricing

1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .
---	---------	---

### Technical Notes: W-Series Range Hood

#### Range Hood Options (P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Removable Access Panel	W-Series range hoods come standard with a removable panel. See <i>Section P.7 - Range Hood Notes</i> .
4	Moldings	Base molding comes standard on the W-Series range hoods. You must select a molding package. See <b>Range Hood Molding Options</b> in <i>Section P.7</i> . Any other molding being used as an accessory with your range hood must be ordered separately using <b>Order Form #5</b> . These <i>are not included</i> in the range hood price. See <i>Chapter N</i> for additional molding options.
5	Corbels	Corbels do not come standard with the Range Hood. Available options will be presented prior to quoting the project. Space available for corbel is: 9"W x 6"D x 13"H [228.6mm x 152.4mm x 330.2mm].
6	Raised Panel Hoods	When ordering <b>W</b> or <b>WRA</b> , you must select a Stile & Rail profile and a Center Panel profile. See options in <i>Section P.7 - Range Hood Notes</i> .
7	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.
8	Design	W-Series range hoods mimic the cooking hearths of times past. The hood comes down to the counter. You must verify that there is sufficient distance between the column and the range to meet local code. <i>(In most areas, tiling the inside of the column eliminates this requirement.)</i>
9	Spice Rack	A Spice Rack within the lower cabinet is optional and must be ordered separately. You may use a small door and corbel to access as we feature here; or a full height door may also be used. See <i>Section P.7 - Notes</i> .

P

 = Product outsourced from other vendor.


*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For **PRICING** ► See *Section P.1* in our current Wholesale Pricing Catalog.

## Range Hood Options

## Mantel Style Hoods

### O-Series Range Hood



OS

\* See Notes for information regarding Corbels.

P

Wood Species	O - Hood Part #'s and Size					
	O6660	O7260	O8460	O9060	O6672	O7272
Alder-Natural	66"X 60"	72"X 60"	84"X 60"	90"X 60"	66"X 72"	72"X 72"
Alder-Rustic						
Beech-European-Steamed-Natural						
Cherry-Natural						
Hickory-Natural						
Maple-Hard-Natural						
MDF/HDF-Paint						
Maple-Hard/Soft Mixed-Value/Budget/Paint						
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint						
Oak-Red-Natural						
Oak-Red-Quarter Sawn-Natural						
Oak-White-QS-Natural						
Walnut-Natural						
Sq.Ft. for Two-Sided (2S) Finishing	93	100	113	119	112	120

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

P.5.11

V18.2



WalzCraft.com



(Phone) 1-800-237-1326

6:00AM - 5:30PM CST

(24 Hour Fax) 1-608-781-3667

## Mantel Style Hoods

## Range Hood Options

Wood Species	O - Hood Part #'s and Size					
	O8472	O9072	O6684	O7284	O8484	O9084
Alder-Natural	84"X 72	90"X 72	66"X 84	72"X 84	84"X 84	90"X 84
Alder-Rustic						
Beech-European-Steamed-Natural						
Cherry-Natural						
Hickory-Natural						
Maple-Hard-Natural						
MDF/HDF-Paint						
Maple-Hard/Soft Mixed-Value/Budget/Paint						
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint						
Oak-Red-Natural						
Oak-Red-Quarter Sawn-Natural						
Oak-White-QS-Natural						
Walnut-Natural						
Sq.Ft. for Two-Sided (2S) Finishing	135	143	130	140	158	167

### Ordering & Pricing Notes: O-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
---	-------------	---

#### Pricing

1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .
---	---------	---

### Technical Notes: O-Series Range Hood

#### Range Hood Options (P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Removable Access Panel	O-Series range hoods come standard with a removable panel. See <i>Section P.7 - Range Hood Notes</i> .
4	Moldings	Base molding comes standard on the O-Series range hood. You must select a molding package. See <b>Range Hood Molding Options</b> in <i>Section P.7</i> . Any other molding being used as an accessory with your range hood must be ordered separately using <b>Order Form #5</b> . These <i>are not included</i> in the range hood price. See <i>Chapter N</i> for additional molding options.
5	Corbels	Corbels do not come standard with the Range Hood. Available options will be presented prior to quoting the project. Space available for corbel is: 9"W x 6"D x 13"H [228.6mm x 152.4mm x 330.2mm].
6	Raised Panel Hoods	When ordering O, you must select a Stile & Rail profile and a Center Panel profile. See options in <i>Section P.7 - Range Hood Notes</i> .
7	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.
8	Design	O-Series range hoods mimic the cooking hearths of times past. The hood comes down to the counter. You must verify that there is sufficient distance between the column and the range to meet local code. <i>(In most areas, tiling the inside of the column eliminates this requirement.)</i>
9	Spice Rack	A Spice Rack in the lower cabinet is optional and must be ordered separately. You may use a small door and corbel to access as we feature here, or a full height door may also be used. See <i>Section P.7 - Notes</i> .

**OS** = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*


► For **PRICING** ► See *Section P.1* in our current Wholesale Pricing Catalog.

## Range Hood Options

## Mantel Style Hoods

### Q-Series Range Hood

#### QBKT - Standard Valance Hood



OS

\* See Notes for information regarding Brackets/Corbels.

#### Wood Species

#### Q - Hood Part #'s and Size

	QBKT-3024	QBKT-3624	QBKT-4224	QBKT-4824	QBKT-5424	QBKT-6024	QBKT-3030	QBKT-3630	QBKT-4230	QBKT-4830
Alder-Natural										
Alder-Rustic										
Beech-European-Steamed-Natural										
Cherry-Natural										
Hickory-Natural										
Maple-Hard-Natural										
MDF/HDF-Paint	30" X 24"	36" X 24"	42" X 24"	48" X 24"	54" X 24"	60" X 24"	30" X 30"	36" X 30"	42" X 30"	48" X 30"
Maple-Hard/Soft Mixed-Value/Budget/Paint										
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint										
Oak-Red-Natural										
Oak-Red-Quarter Sawn-Natural										
Oak-White-QS-Natural										
Walnut-Natural										
Sq.Ft. for Two-Sided (2S) Finishing	37	41	44	48	52	56	44	48	53	57

#### Wood Species

#### Q - Hood Part #'s and Size

	QBKT-5430	QBKT-6030	QBKT-3036	QBKT-3636	QBKT-4236	QBKT-4836	QBKT-5436	QBKT-6036	QBKT-3042	QBKT-3642
Alder-Natural										
Alder-Rustic										
Beech-European-Steamed-Natural										
Cherry-Natural										
Hickory-Natural										
Maple-Hard-Natural										
MDF/HDF-Paint	54" X 30"	60" X 30"	30" X 36"	36" X 36"	42" X 36"	48" X 36"	54" X 36"	60" X 36"	30" X 42"	36" X 42"
Maple-Hard/Soft Mixed-Value/Budget/Paint										
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint										
Oak-Red-Natural										
Oak-Red-Quarter Sawn-Natural										
Oak-White-QS-Natural										
Walnut-Natural										
Sq.Ft. for Two-Sided (2S) Finishing	62	66	50	56	61	66	71	77	57	63

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

## Mantel Style Hoods

## Range Hood Options

Wood Species	Q - Hood Part #'s and Size									
	QBKT-4242	QBKT-4842	QBKT-5442	QBKT-6042	QBKT-3048	QBKT-3648	QBKT-4248	QBKT-4848	QBKT-5448	QBKT-6048
Alder-Natural	42" X 42"	48" X 42"	54" X 42"	60" X 42"	30" X 48"	36" X 48"	42" X 48"	48" X 48"	54" X 48"	60" X 48"
Alder-Rustic										
Beech-European-Steamed-Natural										
Cherry-Natural										
Hickory-Natural										
Maple-Hard-Natural										
MDF/HDF-Paint										
Maple-Hard/Soft Mixed-Value/Budget/Paint										
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint										
Oak-Red-Natural										
Oak-Red-Quarter Sawn-Natural										
Oak-White-QS-Natural										
Walnut-Natural										
Sq.Ft. for Two-Sided (2S) Finishing	69	75	81	87	58	65	71	78	85	92

### Ordering & Pricing Notes: Q-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
<b>Pricing</b>		
1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .

### Technical Notes: Q-Series Range Hood

#### Range Hood Options (P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Removable Access Panel	Q-Series range hoods come standard with a removable panel. See <i>Section P.7 - Range Hood Notes</i> .
4	Moldings	Crown moldings can be affixed to the top rail and must be ordered separately using <i>Order Form # 5</i> . For crown molding options, see <i>Section N.1 - Crown Molding</i> .
5	Brackets/Corbels	Brackets shown are included with the range hood. Corbels do not come standard with the Range Hood. Available options will be presented prior to quoting the project.
6	Raised Panel Hoods	When ordering QBKT, you must select a Stile & Rail profile and a Center Panel profile. See options in <i>Section P.7 - Range Hood Notes</i> .
7	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes / Dimensions

1	Available Widths	Available in standard widths to fit a cook top up to 60" [1524.0mm] wide.
---	------------------	---


**OS** = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For **PRICING** ► See *Section P.1* in our current Wholesale Pricing Catalog.

## N-Series Range Hood

## NRA - Raised Panel Arched Base Hood



OS

\* See Notes for information regarding Corbels.

## Wood Species

## NRA - Hood Part #'s and Sizes

	NRA-5432	NRA-6032	NRA-6632	NRA-5438	NRA-6038	NRA-6638	NRA-5444	NRA-6044	NRA-6644
Alder-Natural									
Alder-Rustic									
Beech-European-Steamed-Natural									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
MDF/HDF-Paint	54" X 32"	60" X 32"	66" X 32"	54" X 38"	60" X 38"	66" X 38"	54" X 44"	60" X 44"	66" X 44"
Maple-Hard/Soft Mixed-Value/Budget/Paint									
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-QS-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	53	58	63	62	68	73	71	77	84

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

## Hearth Style Hoods

## Range Hood Options

### Ordering & Pricing Notes: N-Series Range Hood

#### Ordering Guidelines


1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
<b>Pricing</b>		
1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .

### Technical Notes: N-Series Range Hood

#### Range Hood Options (P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Removable Panel	N-Series range hoods come standard with a removable panel. See <i>Section P.7 - Range Hood Notes</i> . 54" [1371.6mm] and 60" [1524.0mm] N-Series range hoods will have 2 panels in the top wainscot. 66" [1676.4mm] N-Series range hoods will have 3 panels in the top wainscot.
4	Moldings	Base molding comes standard on the N-Series range hoods. You must select a molding package. See <b>Range Hood Molding Options</b> in <i>Section P.7</i> . Any other molding being used as an accessory with your range hood must be ordered separately using <i>Order Form #5</i> . These <i>are not included</i> in the range hood price. See <i>Chapter N</i> for additional molding options.
5	Corbels	Corbels do not come standard with the Range Hood. Available options will be presented prior to quoting the project. Space available for corbel is: 5"W x 6"D x 12¼"H [127.0mm x 152.4mm x 311.2mm].
6	Raised Panel Hoods	When ordering <b>NRA</b> , you must select a Stile & Rail profile and a Center Panel profile. See options in <i>Section P.7 - Range Hood Notes</i> .
7	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.
8	Design	N-Series range hoods are hearth style hoods that <i>do not</i> go to the counter.

P

 = Product outsourced from other vendor.


*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For **PRICING** ► See *Section P.1* in our current Wholesale Pricing Catalog.

## Range Hood Options

## Hearth Style Hoods

### L-Series Range Hood



OS

\* See Notes for information regarding Corbels.

#### Wood Species

#### L - Hood Part #'s and Sizes

	L-5444	L-6044	L-6644	L-5450	L-6050	L-6650	L-5456	L-6056	L-6656
Alder-Natural									
Alder-Rustic									
Beech-European-Steamed-Natural									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
MDF/HDF-Paint	54" X 44"	60" X 44"	66" X 44"	54" X 50"	60" X 50"	66" X 50"	54" X 56"	60" X 56"	66" X 56"
Maple-Hard/Soft Mixed-Value/Budget/Paint									
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-QS-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	58	63	68	66	71	77	87	94	101

OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

P.6.3

V18.2



WalzCraft.com



(Phone) 1-800-237-1326

6:00AM - 5:30PM CST

(24 Hour Fax) 1-608-781-3667

## Hearth Style Hoods

## Range Hood Options

### Ordering & Pricing Notes: L-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
<b>Pricing</b>		
1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .

### Technical Notes: L-Series Range Hood

#### Range Hood Options (P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Removable Panel	L-Series range hoods come standard with a removable panel. See <i>Section P.7 - Range Hood Notes</i> .
4	Moldings	Base molding comes standard on the N-Series range hoods. You must select a molding package. See <b>Range Hood Molding Options</b> in <i>Section P.7</i> . Any other molding being used as an accessory with your range hood must be ordered separately using <b>Order Form #5</b> . These <i>are not included</i> in the range hood price. See <i>Chapter N</i> for additional molding options.
5	Corbels	Corbels do not come standard with the Range Hood. Available options will be presented prior to quoting the project. Space available for corbel is: 9"W x 7½"D x 12" H, [228.6mm x 190.5mm x 304.8mm].
6	Raised Panel Hood	When ordering <b>L</b> , you must select a Stile & Rail profile and a Center Panel profile. See options in <i>Section P.7 - Range Hood Notes</i> .
7	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes / Dimensions

1	Available Widths	Available in standard widths to fit a cook top up to 60" [1524.0mm] wide.
---	------------------	---

 = Product outsourced from other vendor.


*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For **PRICING** ► See *Section P.1* in our current Wholesale Pricing Catalog.

## Range Hood Options

## Hearth Style Hoods

### H-Series Range Hoods




OS

\* See Notes for information regarding Corbels.

Wood Species	H - Hood Part #'s and Sizes								
	H-5444	H-6044	H-6644	H-5450	H-6050	H-6650	H-5456	H-6056	H-6656
Alder-Natural									
Alder-Rustic									
Beech-European-Steamed-Natural									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
MDF/HDF-Paint	54" X 44"	60" X 44"	66" X 44"	54" X 50"	60" X 50"	66" X 50"	54" X 56"	60" X 56"	66" X 56"
Maple-Hard/Soft Mixed-Value/Budget/Paint									
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-QS-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	72	77	83	81	88	94	91	98	105

### HRA - Raised Panel Arched Hood



OS

Wood Species	HRA - Hood Part # 's and Sizes								
	HRA-5444	HRA-6044	HRA-6644	HRA-5450	HRA-6050	HRA-6650	HRA-5456	HRA-6056	HRA-6656
Alder-Natural	54" X 44"	60" X 44"	66" X 44"	54" X 50"	60" X 50"	66" X 50"	54" X 56"	60" X 56"	66" X 56"
Alder-Rustic									
Beech-European-Steamed-Natural									
Cherry-Natural									
Hickory-Natural									
Maple-Hard-Natural									
MDF/HDF-Paint									
Maple-Hard/Soft Mixed-Value/Budget/Paint									
Maple-Hard/Soft Mixed-Hybrid/MDF-Paint									
Oak-Red-Natural									
Oak-Red-Quarter Sawn-Natural									
Oak-White-QS-Natural									
Walnut-Natural									
Sq.Ft. for Two-Sided (2S) Finishing	72	77	83	81	88	94	91	98	105



OS = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

## Hearth Style Hoods

## Range Hood Options

	HDP1 - Decorative Panel Hood	Wood Species	HDP1 - Hood Part #'s and Sizes							
			HDP1-5444	HDP1-6044	HDP1-6644	HDP1-5450	HDP1-6050	HDP1-6650	HDP1-5456	HDP1-6056
	Alder-Natural	54" X 44"	60" X 44"	66" X 44"	54" X 50"	60" X 50"	66" X 50"	54" X 56"	60" X 56"	66" X 56"
	Alder-Rustic									
	Beech-European-Steamed-Natural									
	Cherry-Natural									
	Hickory-Natural									
	Maple-Hard-Natural									
	MDF/HDF-Paint									
	Maple-Hard/Soft Mixed-Value/Budget/Paint									
	Maple-Hard/Soft Mixed-Hybrid/MDF-Paint									
	Oak-Red-Natural									
	Oak-Red-Quarter Sawn-Natural									
Oak-White-QS-Natural										
Walnut-Natural										
	Sq.Ft. for Two-Sided (2S) Finishing	72	77	83	81	88	94	91	98	105

### Ordering & Pricing Notes: H-Series Range Hood

#### Ordering Guidelines

1	Order Forms	Please use <i>Range Hoods Order Form (E-Z Form #12)</i> .
<b>Pricing</b>		
1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .

### Technical Notes: H-Series Range Hood

#### Range Hood Options (P)

1	Customization	See <i>Section P.7 - Range Hood Notes</i> .
2	Hood Liners	See <i>Section P.7 - Ventilation Units (Liners &amp; Blowers)</i> .
3	Removable Panel	H-Series range hoods come standard with a removable panel. See <i>Section P.7 - Range Hood Notes</i> . 54" [1371.6mm] and 60" [1524.0mm] H-Series range hoods will have 2 panels in the top wainscot. 66" [1676.4mm] H-Series range hoods will have 3 panels in the top wainscot.
4	Moldings	Base molding comes standard on the N-Series range hoods. You must select a molding package. See <b>Range Hood Molding Options</b> in <i>Section P.7</i> . Any other molding being used as an accessory with your range hood must be ordered separately using <b>Order Form #5</b> . These <i>are not included</i> in the range hood price. See <i>Chapter N</i> for additional molding options.
5	Corbels	Corbels do not come standard with the Range Hood. Available options will be presented prior to quoting the project. Space available for corbel is: Approximately 5"W x 5"D x 10"H, [127.0mm x 127.0mm x 254.0mm].
6	Raised Panel Hoods	When ordering <b>H</b> , <b>HRA</b> or <b>HDP1</b> , you must select a Stile & Rail profile and a Center Panel profile. See options in <i>Section P.7 - Range Hood Notes</i> .
7	Hood and Ventilation Installation	Please see <i>Section P.7 - Range Hood Notes</i> regarding installation liability and local building code guidelines.

#### Sizes / Dimensions

1	Available Widths	Available in standard widths to fit a cook top up to 48" [1219.2mm] wide.
---	------------------	---

 = Product outsourced from other vendor.

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For **PRICING** ► See *Section P.1* in our current Wholesale Pricing Catalog.



## General Information

## Range Hood Options

### Range Hood Molding Options

- The **Vchim** series of hoods are only available with the molding shown.
- The **G, T, I, E, J, S, A** and **W** series of hoods have two molding options to choose from:
  - Molding Package 1 - Classic (WalzCraft Molding #1924 and #1925).
  - Molding Package 2 - Simple (Similar to WalzCraft Molding #398).
- The **B, D, L, N, H** and **O** series of hoods have two molding options to choose from:
  - Molding Package 1 - Classic (Similar to WalzCraft Molding #1376).
  - Molding Package 2 - Simple (Similar to WalzCraft Molding #383).
- Moldings shown are not to scale. Please see molding section of this catalog for more information.


### Vchim-Series Range Hood Molding

#### Vchim Series Base & Chimney Molding




### Range Hood Series G, T, I, E, J, S, A and W - Molding Options

#### Molding Package 1 - Classic




#### Molding Package 2 - Simple




### Range Hood Series B, D, L, N, H and O - Molding Options


#### Molding Package 1 - Classic



#### Molding Package 2- Simple



### Removable Exhaust Fan Access Panel Options for Range Hoods



- **Removable Exhaust Fan Access Panel**
  - Available on **G, I, J, P** and **T** Series Range Hoods and must be ordered separately.
- When ordering, please specify the Range Hood Series and note the Exhaust Fan Access Panel option.
- To cover the removable access panel, an applied molding is used to complete the look.



- **Removable Panel** for easy access to ventilation or duct work. *This is a standard feature on the M, Q, S, N, A, O, L, H and W Series Range Hoods.* When ordering, there is no need to specify an exhaust fan access panel option.
- The removable panel on the **M, Q, S, N** and **W** Series Range Hoods is held in place with clips. When assembled, the visible seam on the top rail can be concealed with the addition of a Crown Molding (*sold separately*). The seam on the center rail will be concealed with a shelf which comes standard with the hood.

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

## Range Hood Options


## General Information

### Imperial Standard Liners/Ventilators - ISL360



#### **ISL360 Liner/Ventilator**

- LED lighting
- Two speed fan control
- Large, easy to clean filters
- Internal motor
- Sizes to fit 30" through 36" hoods
- Stainless steel construction




OS

### Imperial Premium Liners/Ventilators - IPL635



#### **IPL635 Liner/Ventilator**

- Dimmer controlled LED lighting
- Variable speed fan control
- Large, easy to clean filters
- Two internal motor combinations
- Sizes to fit 30" through 48" hoods
- Stainless steel construction
- Heat controlled automatic turn on




OS

### Imperial Premium Liners/Ventilators - IPL990



#### **IPL990 Liner/Ventilator**

- Dimmer controlled LED lighting
- Variable speed fan control
- Large, easy to clean filters
- Two internal motor combinations
- Sizes to fit 30" through 48" hoods
- Stainless steel construction
- Heat controlled automatic turn on



OS

OS = Product outsourced from other vendor.


*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section P.1 in our current Wholesale Pricing Catalog.

## General Information

## Range Hood Options

### Professional Mesh Liners/Ventilators - SM600, PML600, PML100SM, PML1200SM



#### SM & PML Liner/Ventilators

- Dimmer controlled halogen or LED lighting
- Variable speed fan control
- Dishwasher safe filters
- Internal blowers
- Sizes to fit 30" through 60" hoods
- 22 gauge stainless steel construction

OS

Model #	Blower Type	CFM Rating	Amps	Ducting	Suggested Use
SM600 w/ 300 CFM Converter	Internal	300	5.0, 110V	8" Round	Standard range requiring less than 300 CFM and air makeup system not desired.
PML600	Internal	600	5.0, 110V	8" Round	Standard range or small commercial range.
PML1000SM	Internal	1000	7.0, 110V	10" Round	Commercial range up to 48" wide without grill.
PML1200SM	Internal	1200	7.0, 110V	10" Round	Commercial range up to 48" wide without grill ( <i>not available for 30" wide liners</i> ).
ISL360	Internal	360	9.0, 110V	7" Round	Standard residential cooking with a 4 or 5 burner cooking surface.
IPL635	Internal	635	9.0, 110V	7" Round, 4 3/8" off center, left	Standard residential cooking with a 4 or 5 burner cooking surface. Also, 30" and select 36" professional style ranges.
IPL990	Internal	990	9.0, 110V	10" Round w/ 7" transition	Six burner 36" professional style ranges.

**Note:** SM & PML 30" to 42" have (2) 50W halogen lights, 48" has (3) 50W halogen lights, 54" to 60" have (4) 50W halogen lights (LED bulbs available). Halogen lights not available in California (CA).

**Note:** 30" wide Vchim series range hoods utilizing SM600 or PML600 will need the 8" round duct converted to a 6" or less round duct (with a transition piece, not supplied) if ducting will be directed through the top of the hood/chimney.

**Liner/Ventilator notes continued on next page...**

OS = Product outsourced from other vendor.

**The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.**

► **For PRICING** ► See Section **P.1** in our current Wholesale Pricing Catalog.

 WalzCraft<sup>®</sup>.com ©



99.7% American Made

**P.7.3**

V18.2

## Range Hood Options

## General Information

### SM600, PML600, PML100SM, PML1200SM

Wood Hood Model and Size	Size of Liner that Fits Hood (Actual Width of Liner)					
	30 (28%)	36 (34%)	42 (40%)	48 (46%)	54 (52%)	60 (58%)
Vchim, G, T, I*	30	36**	42	48	54	60
E, D, B	NA	36	42	48	54	60
W, O	NA	NA	NA	66	72	84, 90
H, L, N	NA	54	60	66	72	84
M, Q	30	36	42	48	54	60
S, J, A, P	33	39	45	51	57	63

\* = Requires island liner. \*\* = 1000CFM internal blower will not fit in 36" island hood.

### ISL360

Wood Hood Model and Size	Size of Liner that Fits Hood (Actual Width of Liner)	
	30 (28%)	36 (34%)
Vchim	30	36
G, T	NA	36
E, D, B	42	48
W, O	NA	NA
H, L, N	NA	54
M, Q	30	36
S, J, A, P	33	39


### IPL635, IPL990

Wood Hood Model and Size	Size of Liner that Fits Hood (Actual Width of Liner)			
	30 (28%)	36 (34%)	42 (40%)	48 (46%)
Vchim	30	36	42	48
G, T, E	NA	36	42	48
D, B	NA	36	42	48
W, O	NA	NA	NA	66
H, L, N	NA	54	60	66
M, Q	30	36	42	48
S, J, A, P	33	39	45	51

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► For PRICING ► See Section **P.1** in our current Wholesale Pricing Catalog.



**Removable Top Option for Range Hoods**

- **Removable Top Option** is available to aid installation. *This is an optional feature on the E, G, and T Series Range Hoods.* This feature is available at **no additional charge**.
- Allows installer to install the base and ventilation - then the top. Requires a minimum of ¾" [19.1mm] clearance to lift top over base clips.
- Installation instructions will be shipped with the product but can also be found on our website: see **Resources/Technical Information**.
- Please note that cutting or modification of any structural parts of this hood will result in loss of warranty.

**Ordering & Pricing Notes: Range Hoods - General Information****Ordering Guidelines**

1	Order Forms	Please use <i>Range Hoods Order Form (E•Z Form #12)</i> .
<b>Pricing</b>		
1	Pricing	Please see <i>Section P.1</i> of our current <b>Wholesale Pricing Catalog</b> .

**Technical Notes: Range Hoods - General Information****Accent Component Options (Chapter O)**

1	Accent Components	Accent components are available for range hoods and must be ordered separately by part # using <i>Accent Components Order Form #5.1</i> . These <b>are not included</b> in the range hood price. See <i>Website and/or Chapter O</i> .
---	-------------------	---

**Design Options (Chapter G)**

1	Simulated Distressing	Available with all Simulated Distressing options in <i>Section G.14</i> .
---	-----------------------	---

**Finish Options (Chapter R)**

1	Finishing	Finishing is available. See <i>Chapter R</i> for finishing options.
---	-----------	---

**Molding Options (Chapter N)**

1	Molding Options	<p><b>Classic 1 or Simple 1 Molding Options</b> are available with the Series A, E, G, I, J, S, T and W range hoods and are included in the price.</p> <p><b>Classic 2 or Simple 2 Molding Options</b> are available with the Series B, D, L, N, H and O range hoods and are included in the price.</p> <p><b>All other moldings</b> used as range hood accessories must be ordered separately by part # using <i>Order Form #5</i>. • These are sold in <b>8' lengths only</b> and <b>are not included</b> in the range hood price. See <i>Chapter N</i>.</p>
---	-----------------	--

**Profile Options (Chapter E)**

1	Stile & Rail Profiles and Center Panel Profiles	<p>WalzCraft sources Range Hoods from an outside vendor. The outside vendor offers a limited number of profiles, but does offer seven stile &amp; rail profiles and five center panel profiles that are an approximate match to WalzCraft profiles.</p> <ul style="list-style-type: none"> <li>• Stile &amp; Rail Profiles: SR100, SR102, SR107, SR119, SR126, SR133 (with AM1664), SR168.</li> <li>• Center Panel Profiles: PR300-32, PR302-25, PR303-32, PR305-32, RVSCP-PR324.</li> <li>• Please see <i>Chapter E</i> for profile drawings.</li> </ul> <p>If your project requires WalzCraft profiles other than those listed above, please contact our Customer Support Team to determine feasibility and pricing. Most Traditional profiles and French Miter profiles are available for an upcharge. Miter construction is not an option.</p>
---	---	--

**Notes Continued on Next Page...**

*The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.*

► **For PRICING** ► See *Section P.1* in our current Wholesale Pricing Catalog.

**Technical Notes: Range Hoods - General Information...continued****Range Hood Options (Chapter P)...continued**

<b>1</b>	<b>Range Hood Series Part #'s</b>	Part #'s are noted for each Range Hood within the Wood Species Tables throughout <b>Chapter P</b> . Part #'s also represent the size for that particular Range Hood; these sizes are noted within each table.
<b>2</b>	<b>Ventilation Units (Liner &amp; Blower)</b>	<p>All range hood designs offered by WalzCraft are pre-engineered, compatible and available with the optional Ventilation Units (Liner &amp; Blower) also offered by WalzCraft. See previous pages.</p> <p>Ventilation Units (Liner &amp; Blower) are <b>not included with the hood</b> and must be ordered separately.</p> <ul style="list-style-type: none"> <li>The cost for these units is <b>not included</b> in the cost of the hood.</li> </ul> <p>If you choose to use a unit from another supplier with any unit offered by WalzCraft, you may find that the two units <b>are not</b> compatible. Should this be the case, <b>WalzCraft will not be held responsible for either unit, nor will WalzCraft provide a warranty on these items.</b></p> <p>When using a ventilation unit (liner &amp; blower) other than what WalzCraft offers, range hoods may need to be customized so the ventilation unit fits the range hood. If this should be the case, then installation specifications for the ventilation unit must be provided to WalzCraft.</p> <p><b>Internal</b> blowers available.</p> <ul style="list-style-type: none"> <li><b>Internal</b> blowers are mounted inside the wood hood. They push the air through the duct.</li> </ul>
<b>3</b>	<b>Hood/Ventilation Unit Installation</b>	WalzCraft outsources its Range Hoods and Ventilation Units, thus, <b>we assume no liability regarding the installation of the hoods, liners and blowers</b> . It is your responsibility to ensure installation recommendations/requirements are met. This includes the range hood supplier's recommendations, the range/cooktop manufacturer's installation specifications, and local building code construction guidelines.
<b>4</b>	<b>Local Building Code Standards</b>	Installation of Range Hood & Ventilation Units are subject to local building code construction guidelines. <b>It is your responsibility to ensure that the Range Hood, Liner &amp; Blower meet your local building code standards.</b>
<b>5</b>	<b>Customization</b>	Customization is an option on all Range Hoods <b>except the V and VRA Series</b> . When customizing, a price quote and a CAD drawing will be provided and must be signed off giving approval before the order will be placed. Some customizations may incur significant upcharges due to the complexity of the modification.
<b>6</b>	<b>Hood Liner</b>	For a proper fit, the Hood Liner size is ordered smaller than the Range Hood. (ie: 39" hoods get 36" liners) <b>See size guidelines for Range Hood Ventilator units on previous pages of Section P.7.</b>
<b>7</b>	<b>Removable Access Panel</b>	<p>Removable Exhaust Fan Access Panels are a <b>standard feature</b>, and carry <b>no additional charge</b> for Series <b>A, L, M, N, O, Q, S, H and W</b> range hoods.</p> <p>Removable Exhaust Fan Access Panels are an <b>optional feature</b>, for Series <b>G, I, J and T</b> range hoods. See <b>Section P.7. Additional charges may apply.</b></p>
<b>8</b>	<b>Removable Top</b>	Removable Tops are an <b>optional feature</b> , available for Series <b>E, G, and T</b> range hoods. <b>See Removable Top Option For Range Hoods on previous pages of Section P.7.</b> Available at <b>no additional charge.</b>
<b>9</b>	<b>Spice Racks</b>	<p>Maple spice racks can be added to the lower columns on Series <b>W</b> and <b>O</b> range hoods.</p> <ul style="list-style-type: none"> <li>Spice racks have three adjustable shelves and one fixed shelf.</li> <li>A corbel and door can be used for access <u>or</u> a single door may also be used.</li> <li>Spice racks and corbels do not come standard with the range hood.</li> <li>Available options will be presented prior to quoting the project.</li> </ul>
<b>10</b>	<b>Range Hood Shelves</b>	Shelves are measured from tip to tip of any molding that may be applied.

**Sizes/Dimensions**

<b>1</b>	<b>Custom Sizes</b>	Custom Sizes are available for <b>most</b> Range Hoods; additional charges may apply.
----------	---------------------	---

**The installation of Range Hood and Ventilation Units are subject to local building code construction guidelines. It is your responsibility to ensure that the Range Hood, Liner and Blower meet your local building code standards.**

► For **PRICING** ► See **Section P.1** in our current Wholesale Pricing Catalog.